

# 2023 STELLANTIS PRODUCT INFO



## 2023 Ram Commercial 3500, 4500 & 5500 Chassis Cab FEATURE AVAILABILITY

S = Standard. O = Optional. P = Part of package. NA = Not available.  
Note: some features and/or applications may be late availability.

### CONFIGURATION

#### 3500 – Body Model

|  | TRADESMAN | SLT | LARAMIE | LIMITED |
|--|-----------|-----|---------|---------|
| <b>3500 – BODY MODEL</b>   |           |     |         |         |
| Regular Cab — 60-in. CA (143.5-in. wheelbase)                            | S         | S   | NA      | NA      |
| Regular Cab — 84-in. CA (167.5-in. wheelbase) (N/A with 10,000-lb. GVWR) | S         | S   | NA      | NA      |
| Crew Cab — 60-in. CA (172.4-in. wheelbase)                               | O         | O   | S       | S       |

#### 3500 – Drive System

|                            | TRADESMAN | SLT | LARAMIE | LIMITED |
|----------------------------|-----------|-----|---------|---------|
| <b>3500 – DRIVE SYSTEM</b> |           |     |         |         |
| 4x2                        | S         | S   | S       | S       |
| 4x4                        | O         | O   | O       | O       |

#### 4500/5500 – Body Model

|  | TRADESMAN | SLT | LARAMIE | LIMITED |
|--|-----------|-----|---------|---------|
| <b>4500/5500 – BODY MODEL</b>                  |           |     |         |         |
| Regular Cab — 60-in. CA (144.5-in. wheelbase)  | S         | S   | NA      | NA      |
| Regular Cab — 84-in. CA (168.5-in. wheelbase)  | S         | S   | NA      | NA      |
| Regular Cab — 108-in. CA (192.5-in. wheelbase) | S         | S   | NA      | NA      |
| Regular Cab — 120-in. CA (204.5-in. wheelbase) | S         | S   | NA      | NA      |

# 2023 STELLANTIS PRODUCT INFO



|  | TRADESMAN | SLT | LARAMIE | LIMITED |
|--|-----------|-----|---------|---------|
| <b>4500/5500 – BODY MODEL</b>              |           |     |         |         |
| Crew Cab — 60-in. CA (173.5-in. wheelbase) | O         | O   | S       | S       |
| Crew Cab — 84-in. CA (197.4-in. wheelbase) | O         | O   | S       | S       |
| <b>4500/5500 – Drive System</b>            |           |     |         |         |
|  | TRADESMAN | SLT | LARAMIE | LIMITED |
| <b>4500/5500 – DRIVE SYSTEM</b>            |           |     |         |         |
| 4x2  | S         | S   | S       | S       |
| 4x4  | O         | O   | O       | O       |

## POWERTRAIN

|  | TRADESMAN | SLT | LARAMIE | LIMITED |
|--|-----------|-----|---------|---------|
| <b>ENGINE / TRANSMISSION</b>   |           |     |         |         |
| 6.4-liter HEMI® V-8 (3500) with eight-speed 8HP75 automatic transmission                     | S         | S   | S       | S       |
| 6.4-liter HEMI V-8 (3500/4500/5500) with six-speed AS66RC Aisin automatic transmission       | S/P       | S/P | S/P     | S/P     |
| 6.7-liter Cummins Turbo Diesel I-6 engine with six-speed AS69RC Aisin automatic transmission | O         | O   | O       | O       |

# 2023 STELLANTIS PRODUCT INFO



## MECHANICAL

|  | TRADESMAN | SLT | LARAMIE | LIMITED |
|--|-----------|-----|---------|---------|
| <b>ALTERNATOR</b>  |           |     |         |         |
| 180-amp  | S         | S   | S       | S       |
| 220-amp (Included on 3500/4500/5500 models with Heavy-Duty Snowplow Prep Group; included with Electrical Accessory Group and Ambulance Prep Group) | O/P       | O/P | O/P     | O/P     |
| 380-amp (dual 160-amp and 220-amp; requires 6.4-liter)   | O         | O   | O       | O       |
| 440-amp (dual 220-amp alternators; requires 6.7-liter)   | O/P       | O/P | O/P     | O/P     |

### Axles: 3500

|                                  | TRADESMAN | SLT | LARAMIE | LIMITED |
|----------------------------------|-----------|-----|---------|---------|
| <b>AXLES: 3500</b>               |           |     |         |         |
| Single Rear Wheel Group          | S         | S   | S       | S       |
| Dual rear wheels                 | O         | O   | O       | O       |
| Front, 6,000-lb. GAWR (SRW axle) | S         | S   | S       | S       |
| Rear, 11.50-in. (SRW axle)       | S         | S   | S       | S       |
| Front, 205 mm (DRW axle)         | S/O       | S/O | S/O     | S/O     |
| Rear, 11.50-in. (DRW axle)       | S/O       | S/O | S/O     | S/O     |
| Rear, 12.0-in. (DRW axle)        | P         | P   | P       | P       |

# 2023 STELLANTIS PRODUCT INFO



## Axle Ratios: 3500

|   | TRADESMAN | SLT | LARAMIE | LIMITED |
|---|-----------|-----|---------|---------|
| <b>AXLE RATIOS: 3500</b>                      |           |     |         |         |
| 3.73 ratio (packaged with diesel models only) | P         | P   | P       | P       |
| 4.10 ratio (standard with gas)                | S         | S   | S       | S       |
| Rear, anti-spin differential                  | S         | S   | S       | S       |

## Axles: 4500/5500

|                                       | TRADESMAN | SLT | LARAMIE | LIMITED |
|---------------------------------------|-----------|-----|---------|---------|
| <b>AXLES: 4500/5500</b>               |           |     |         |         |
| Dual rear wheel                       | S         | S   | S       | S       |
| Front, 10.5-in.                       | S         | S   | S       | S       |
| Front, 10.5-in., 7,250-lb. GAWR       | O         | O   | O       | O       |
| Front-axle disconnect (4500/5500 4x4) | S         | S   | S       | S       |
| Rear, anti-spin differential          | S         | S   | S       | S       |

## Axle Ratios:4500

|   | TRADESMAN | SLT | LARAMIE | LIMITED |
|---|-----------|-----|---------|---------|
| <b>AXLE RATIOS: 4500</b>                                    |           |     |         |         |
| Rear, 4.10 ratio (packaged with 4500 with 6.7-liter engine) | P         | P   | P       | P       |
| 4.44 ratio  | S         | S   | S       | S       |
| 4.89 ratio (available with 6.4-liter engine)                | O/P       | O/P | O/P     | O/P     |
| Rear, American Axle (12,000-lb. GAWR)                       | S         | S   | S       | S       |

# 2023 STELLANTIS PRODUCT INFO



## Axle Ratios: 5500

|  | TRADESMAN | SLT | LARAMIE | LIMITED |
|--|-----------|-----|---------|---------|
| <b>AXLE RATIOS: 5500</b>               |           |     |         |         |
| 4.44 ratio                             | S         | S   | S       | S       |
| 4.89 ratio                             | O/P       | O/P | O/P     | O/P     |
| Rear, American Axle, (13,500-lb. GAWR) | S         | S   | S       | S       |

## Fuel Tank

|   | TRADESMAN | SLT | LARAMIE | LIMITED |
|---|-----------|-----|---------|---------|
| <b>FUEL TANK</b>                            |           |     |         |         |
| 52-gallon, rear                             | S         | S   | S       | S       |
| 74-gallon dual fuel tanks (52 and 22 gals.) | O         | O   | O       | O       |
| 22-gallon mid-ship fuel tank                | O         | O   | O       | O       |

## Power Take Off (PTO)

|  | TRADESMAN | SLT | LARAMIE | LIMITED |
|--|-----------|-----|---------|---------|
| <b>POWER TAKE OFF (PTO)</b>                      |           |     |         |         |
| Stationary elevated engine idle up               | S         | S   | S       | S       |
| Right-side PTO                                   | O         | O   | O       | O       |
| Left-side PTO                                    | O         | O   | O       | O       |
| Split-shaft PTO (packaged with PTO, if diesel)   | P         | P   | P       | P       |
| Hard-wired remote start/stop (packaged with PTO) | P         | P   | P       | P       |

# 2023 STELLANTIS PRODUCT INFO



## EXTERIOR

### Engine Shut-Off Timer

|  | TRADESMAN | SLT | LARAMIE | LIMITED |
|--|-----------|-----|---------|---------|
| <b>ENGINE SHUT-OFF TIMER</b>   |           |     |         |         |
| 6.4-liter and 6.7-liter (5 minutes) (dealer programmable from 1 to 60 minutes) | O         | O   | O       | O       |

## INTERIOR

### Instrument Cluster Displays

|  | TRADESMAN | SLT | LARAMIE | LIMITED |
|--|-----------|-----|---------|---------|
| <b>INSTRUMENT CLUSTER DISPLAYS</b>                                 |           |     |         |         |
| Cluster 3.5-in. thin-film transistor (TFT) black and white display | S         | S   | NA      | NA      |
| Cluster 3.5-in. TFT color display                                  | NA        | P   | NA      | NA      |
| Cluster 7.0-in. TFT color display                                  | P         | P   | S       | S       |

### Telematics

|                                  | TRADESMAN | SLT | LARAMIE | LIMITED |
|----------------------------------|-----------|-----|---------|---------|
| <b>TELEMATICS</b>                |           |     |         |         |
| Ram Telematics System by Telogis | O         | O   | O       | O       |

### Upfitter Interface

|  | TRADESMAN | SLT | LARAMIE | LIMITED |
|--|-----------|-----|---------|---------|
| <b>UPFITTER INTERFACE</b>              |           |     |         |         |
| Vehicle system interface module (VSIM) | S         | S   | S       | S       |

# 2023 STELLANTIS PRODUCT INFO



## UCONNECT MULTIMEDIA

### Bluetooth

|                                       | TRADESMAN | SLT | LARAMIE | LIMITED |
|---------------------------------------|-----------|-----|---------|---------|
| BLUETOOTH                             |           |     |         |         |
| Uconnect Voice Command with Bluetooth | S         | S   | S       | S       |

### Compass

|  | TRADESMAN | SLT | LARAMIE | LIMITED |
|--|-----------|-----|---------|---------|
| COMPASS  |           |     |         |         |
| Compass display in the radio (Tradesman availability only with optional 5.0-in. radio) | P         | S   | S       | S       |
| GPS antenna input on radio (packaged with 5.0-in., 8.4-in. and 12.0-in. radios)        | P         | P   | P       | P       |

### Connectivity

|  | TRADESMAN | SLT | LARAMIE | LIMITED |
|--|-----------|-----|---------|---------|
| CONNECTIVITY   |           |     |         |         |
| Front: Media hub — includes two fully functional type A/C USB port pairs and one auxiliary jack (four USB connection points) | S         | S   | S       | S       |
| Middle: 2.5-amp charge only single USB port (located in center console or armrest)   | S         | S   | S       | S       |
| Rear: Dual remote USB port 2 A/C pairs; one pair fully functional, one pair charge only (packaged with Luxury Group)         | NA        | P   | S       | S       |
| Auxiliary headphone jack for mobile devices  | S         | S   | S       | S       |
| Wireless charging pad (includes CD player; packaged with Laramie)  | NA        | NA  | P       | S       |

# 2023 STELLANTIS PRODUCT INFO



## Power

|  | TRADESMAN | SLT | LARAMIE | LIMITED |
|--|-----------|-----|---------|---------|
| POWER  |           |     |         |         |
| Accessory delay  | S         | S   | S       | S       |
| Auxiliary outlets (one battery and one ignition-fed)   | S         | S   | S       | S       |
| 115-volt auxiliary power outlet, instrument panel-mounted (Tradesman option) (packaged with SLT) | O         | P   | S       | S       |
| 115-volt auxiliary power outlet, rear facing, (Crew Cab only) (packaged with SLT)                | NA        | P   | S       | S       |
| 400-watt inverter  | P         | P   | P       | P       |

## Radios

|   | TRADESMAN | SLT | LARAMIE | LIMITED |
|---|-----------|-----|---------|---------|
| RADIOS  |           |     |         |         |
| Uconnect 3.0 (hands-free Bluetooth), associated display   | S         | NA  | NA      | NA      |
| Uconnect 5.0 — AM/FM with 5.0-in. touchscreen display, media hub (USB, Auxiliary), Bluetooth, SiriusXM Radio, associated display  | O         | S   | NA      | NA      |
| Uconnect 8.4 — AM/FM with 8.4-in. touchscreen display, media hub (USB, Auxiliary), Uconnect with Bluetooth, SiriusXM Radio, HD radio, associated display  | NA        | O   | S       | NA      |
| Uconnect 8.4 AM/FM with 8.4-in. touchscreen display, media hub (USB, Auxiliary), Navigation, Uconnect with Bluetooth, SiriusXM Radio, HD radio, (packaged with Laramie) (SLT option is Crew only) | NA        | O   | O/P     | S       |
| Uconnect 12.0 — AM/FM/BT/SiriusXM Radio/NAV/HD/CELL, Apple CarPlay and Android Auto, SiriusXM Radio (packaged with Limited)   | NA        | NA  | O       | O/P     |
| Radio controls, steering wheel-mounted audio controls   | P         | P   | S       | S       |



# 2023 STELLANTIS PRODUCT INFO



## SAFETY AND SECURITY

### Camera

| CAMERA   | TRADESMAN | SLT | LARAMIE | LIMITED |
|--|-----------|-----|---------|---------|
| ParkView rear backup camera  | O         | O   | O       | S       |
| Cargo View camera requires 8.4-in. or 12-in. radio, includes LED CHMSL and cargo lamps                               | NA        | O   | O       | O       |
| Auxiliary remote camera (Mopar camera available at dealer)   | NA        | O   | O       | O       |
| Auxiliary Camera Prep, includes vehicle trailer wiring, camera display in radio, 12-pin connector at rear frame rail | NA        | O/P | O/P     | O/P     |
| Surround View camera (five digital cameras)  | NA        | P   | P       | P       |

### Parking Sensors

| PARKING SENSORS        | TRADESMAN | SLT | LARAMIE | LIMITED |
|------------------------|-----------|-----|---------|---------|
| Rear park assist       | O         | O   | O       | S       |
| Front/rear park assist | O         | O   | O       | S       |

### Safety Features

| SAFETY FEATURES   | TRADESMAN | SLT | LARAMIE | LIMITED |
|---|-----------|-----|---------|---------|
| Security alarm  | NA        | O   | S       | S       |
| Backup alarm (audible alarm when vehicle is in reverse) | O         | O   | O       | O       |
| Lane Departure Warning, (Lane Keep Assist)              | P         | P   | P       | P       |
| Adaptive Steering (standalone option)                   | P         | P   | P/O     | P/O     |
| Adaptive Cruise Control with Stop                       | P         | P   | P       | P       |
| Ready Alert Braking                                     | S         | S   | S       | S       |

# 2023 STELLANTIS PRODUCT INFO



|  | TRADESMAN | SLT | LARAMIE | LIMITED |
|--|-----------|-----|---------|---------|
| <b>SAFETY FEATURES</b>   |           |     |         |         |
| Full-speed Forward Collision Warning-Plus (available with Adaptive Cruise)   | P         | P   | P       | P       |
| Lane Keep Assist   | P         | P   | P       | P       |
| Adaptive Steering  | P         | P   | P       | P       |
| Tire-fill alert system (must have 5-in. radio with Tradesman)  | O         | O   | S       | S       |
| Selectable tire fill alert (packaged with 8.4-in. and 12-in. radios on SLT)  | NA        | P   | S       | S       |
| Tire-pressure Information System   | O         | S   | S       | S       |
| Tire-pressure Monitoring Display   | S         | S   | S       | S       |
| Trailer Tire-pressure Monitoring   | NA        | O   | O       | O       |
| Trailer Reverse Guidance   | NA        | P   | P       | P       |
| DOT– certified Roadside Safety Kit (DOT fire extinguisher, three reflecting triangles, spare fuses, two red vinyl flags) | O         | O   | O       | O       |
| Max speed settings (65 mph, 70 mph, 77 mph)  | O         | O   | O       | O       |
| Auto high beam headlamp control  | P         | P   | P       | S       |
| Rain Sensing Wipers  | P         | P   | P       | S       |
| Auxiliary Reverse Lamps (packaged with SLT)  | O         | O/P | S       | S       |

## EQUIPMENT PACKAGES

|                                   | TRADESMAN | SLT | LARAMIE | LIMITED |
|-----------------------------------|-----------|-----|---------|---------|
| <b>EQUIPMENT PACKAGES</b>         |           |     |         |         |
| <b>Electrical Accessory Group</b> | O         | O   | O       | O       |
| 220-amp alternator                |           |     |         |         |
| Voltage Monitoring Auto Idle Up   |           |     |         |         |
| Trailer Brake Control             |           |     |         |         |

# 2023 STELLANTIS PRODUCT INFO



|   | TRADESMAN | SLT | LARAMIE | LIMITED |
|---|-----------|-----|---------|---------|
| <b>EQUIPMENT PACKAGES</b>   |           |     |         |         |
| <b>Ambulance Prep Group</b>   | O         | O   | O       | O       |
| 220-amp alternator  |           |     |         |         |
| Voltage Monitoring Auto Idle Up   |           |     |         |         |
| Remote rear heat/AC (provides ability to run auxiliary mounted heater and A/C independently of instrument panel controls) |           |     |         |         |
| A/C line tap and engine coolant access for upfitter   |           |     |         |         |
| Foam roof blocks (included with Regular Cab only)   |           |     |         |         |
| <b>Chrome Appearance Group</b>  | O         | NA  | NA      | NA      |
| Chrome front bumper (3500/4500/5500)  |           |     |         |         |
| Chrome grille (3500/4500/5500)  |           |     |         |         |
| Chrome inserts  |           |     |         |         |
| Chrome clad steel wheel on 3500 DRW   |           |     |         |         |
| Chrome clad steel wheel on 3500 SRW   |           |     |         |         |
| New bright wheel cover (4500/5500)  |           |     |         |         |
| <b>Cold Weather Group (Diesel option)</b>   | O         | O   | O       | O       |
| Engine block heater cord  |           |     |         |         |
| Winter front grille cover   |           |     |         |         |
| <b>Comfort Group</b>  | NA        | O   | NA      | NA      |
| Heated steering wheel   |           |     |         |         |
| Leather-wrapped steering wheel and audio controls   |           |     |         |         |
| Cluster 3.5-in. TFT color display   |           |     |         |         |
| <b>Tradesman Level 1 Equipment Group</b>  | O         | NA  | NA      | NA      |
| Overhead console (Regular Cab)  |           |     |         |         |
| Power windows (Regular Cab)   |           |     |         |         |
| Power door locks (Regular Cab) (speed sensitive actuation)  |           |     |         |         |
| Power black trailer tow mirrors (Regular Cab)   |           |     |         |         |
| Door trim: (Regular Cab)  |           |     |         |         |
| (wrapped bolster/armrest, 360 door handles, join seam, Iron Gray painted surround and accent)                             |           |     |         |         |
| Remote Keyless Entry  |           |     |         |         |
| Interior door handles, satin chrome polished  |           |     |         |         |

# 2023 STELLANTIS PRODUCT INFO



|   | TRADESMAN | SLT | LARAMIE | LIMITED |
|---|-----------|-----|---------|---------|
| <b>EQUIPMENT PACKAGES</b>   |           |     |         |         |
| <b>Laramie Level 1 Equipment Group</b>  | NA        | NA  | O       | NA      |
| Auto high beam headlamp control   |           |     |         |         |
| Rain-sensing wipers   |           |     |         |         |
| Foam bottle door inserts  |           |     |         |         |
| Ventilated three-level front driver/passenger seats   |           |     |         |         |
| Power-adjustable pedals   |           |     |         |         |
| Radio, driver, seat, mirror, pedals memory  |           |     |         |         |
| CD player   |           |     |         |         |
| <b>Laramie Level 2 Equipment Group<br/>(Includes Laramie Level 1 Equipment Group Content)</b> | NA        | NA  | O       | NA      |
| Uconnect 8.4 (AM/FM/SAT/Bluetooth/NAV/Voice)  |           |     |         |         |
| 17 speakers   |           |     |         |         |
| Wireless charging pad   |           |     |         |         |
| Rear seat heat (three level)  |           |     |         |         |
| <b>Limited Level 1 Equipment Group</b>  | NA        | NA  | NA      | O       |
| 12-in. radio  |           |     |         |         |
| 17-speaker system   |           |     |         |         |
| Full-speed Forward Collision Warning Plus with Auto Emergency Braking                         |           |     |         |         |
| Adaptive Cruise Control with Stop   |           |     |         |         |
| Surround View Camera  |           |     |         |         |
| <b>Premium Lighting Group</b>   | NA        | O   | NA      | NA      |
| LED headlamps   |           |     |         |         |
| LED fog lamps   |           |     |         |         |
| Cluster 3.5-in. TFT color display   |           |     |         |         |
| <b>Safety Group</b>   | O         | O   | O       | O       |
| Forward Collision Warning Plus with Auto Emergency Braking                                    |           |     |         |         |
| Adaptive Cruise Control with Stop, Go and Hold  |           |     |         |         |
| Lane Keep Assist  |           |     |         |         |
| Adaptive steering   |           |     |         |         |
| Rain-sensing wipers   |           |     |         |         |
| Smart Beam  |           |     |         |         |
| Trailer Brake Control (Packaged with Tradesman and SLT)                                       |           |     |         |         |

# 2023 STELLANTIS PRODUCT INFO



|   | TRADESMAN | SLT | LARAMIE | LIMITED |
|---|-----------|-----|---------|---------|
| <b>EQUIPMENT PACKAGES</b>   |           |     |         |         |
| <b>Tow Technology Group</b>   | NA        | O   | O       | O       |
| Surround View camera  |           |     |         |         |
| Trailer reverse guidance  |           |     |         |         |
| Auxiliary reverse lamps, mirror-mounted   |           |     |         |         |
| Power convex mirrors  |           |     |         |         |
| <b>Heavy-Duty Snowplow Prep Group</b>   | O         | O   | O       | O       |
| 220-amp alternator  |           |     |         |         |
| Transfer case skid plate  |           |     |         |         |
| Heavy Duty Front Suspension Group (4500 and 5500)   |           |     |         |         |
| <b>Luxury Group</b>   | NA        | O   | NA      | NA      |
| Passenger/driver cloth visors with incandescent illuminated mirrors                                 |           |     |         |         |
| Universal garage door opener  |           |     |         |         |
| Rear dome lamp with on/off switch   |           |     |         |         |
| Cluster 7.0-in. TFT color display   |           |     |         |         |
| Leather-wrapped steering wheel with remote audio control buttons                                    |           |     |         |         |
| Rear backlight, power sliding (Crew Cab only)   |           |     |         |         |
| Foam bottle door insert   |           |     |         |         |
| 115-volt outlet (front)   |           |     |         |         |
| 115-volt outlet (rear) (Crew only)  |           |     |         |         |
| Upper and lower glove box lighting  |           |     |         |         |
| Power adjustable pedals   |           |     |         |         |
| Rear: dual remote USB port (Crew only) 2 A/C pairs; one pair fully functional, one pair charge only |           |     |         |         |
| Upper glove box door with SLT badge   |           |     |         |         |
| <b>Max Tow Package (Requires Diesel and Aisin)</b>  | O         | O   | O       | O       |
| 12-in. rear axle (3500)   |           |     |         |         |
| 4.10 axle (3500)  |           |     |         |         |
| 4.44 axle (4500)  |           |     |         |         |
| 4.89 axle (5500)  |           |     |         |         |
| 6.7-liter   |           |     |         |         |
| Aisin transmission  |           |     |         |         |
| Trailer brake controller  |           |     |         |         |

# 2023 STELLANTIS PRODUCT INFO



|   | TRADESMAN | SLT | LARAMIE | LIMITED |
|---|-----------|-----|---------|---------|
| <b>EQUIPMENT PACKAGES</b>                                 |           |     |         |         |
| <b>Max Payload Package (6.4-liter 5500 only)</b>          | O         | O   | O       | O       |
| 19,000-lb. GVWR   |           |     |         |         |
| 19,500-lb. GVWR   |           |     |         |         |
| 4.89 axle ratio   |           |     |         |         |
| <b>Rollback Carrier Group</b>                             | O         | O   | NA      | NA      |
| Voltage monitoring auto idle up system                    |           |     |         |         |
| Rollback carrier adaptation brackets                      |           |     |         |         |
| 220-amp alternator  |           |     |         |         |
| Left- or right-side PTO                                   |           |     |         |         |
| 22-gallon mid-ship gas tank                               |           |     |         |         |
| <b>Rear Interior Trim Delete Group (Regular Cab only)</b> | O         | O   | NA      | NA      |
| Delete front center seat                                  |           |     |         |         |
| Delete rear floor storage tray                            |           |     |         |         |
| Delete cab back trim panel                                |           |     |         |         |
| <b>15,000-lb. GVWR Package</b>                            | O         | O   | O       | O       |
| Includes 15,000-lb. Gross Vehicle Weight Rating (4500)    |           |     |         |         |
| 4x2, 4x4  |           |     |         |         |
| <b>16,000 GVWR Package</b>                                | O         | O   | O       | O       |
| Includes 16,000-lb. Gross Vehicle Weight Rating (4500)    |           |     |         |         |
| 4x2, 4x4  |           |     |         |         |

# # #