



2024 Ram Commercial 3500, 4500 & 5500 Chassis Cab TOWING CHARTS

RAM 3500 CHASSIS CAB TRAILER TOWING CHART

REGULAR CAB - CA 60" - 4X2 - SRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI®	A8 8HP75	4.10	10,700	4,930	5,770	3,526	2,244	5,500	6,800	22,000	16,080
6.4L V-8 HEMI	A8 8HP75	4.10	10,000	4,230	5,770	3,526	2,244	5,500	6,800	24,000	18,080
6.4L V-8 HEMI	A6 AS66RC	4.44	10,700	4,800	5,900	3,636	2,264	5,500	6,800	25,000	18,950
6.7L Cummins Diesel	A6 AS69RC	3.73	11,600	4,990	6,614	4,266	2,348	6,000	6,800	25,000	18,240
6.7L Cummins Diesel	A6 AS69RC	4.10	11,600	4,990	6,614	4,266	2,348	6,000	6,800	27,500	20,740

REGULAR CAB - CA 60" - 4X2 - DRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A8 8HP75	4.10	13,500	7,380	6,116	3,548	2,568	5,500	9,850	22,000	15,730
6.4L V-8 HEMI	A6 AS66RC	4.44	14,000	7,750	6,246	3,658	2,588	5,500	9,850	25,000	18,600
6.7L Cummins Diesel	A6 AS69RC	3.73	14,000	7,040	6,960	4,268	2,692	6,000	9,850	31,000	23,890
6.7L Cummins Diesel	A6 AS69RC	4.10	14,000	7,040	6,960	4,268	2,692	6,000	9,850	33,000	25,890

REGULAR CAB - CA 84" - 4X2 - DRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A8 8HP75	4.10	13,500	7,300	6,202	3,644	2,558	5,500	9,850	22,000	15,650
6.4L V-8 HEMI	A6 AS66RC	4.44	14,000	7,670	6,332	3,754	2,578	5,500	9,850	25,000	18,520
6.7L Cummins Diesel	A6 AS69RC	3.73	14,000	6,950	7,046	4,364	2,682	6,000	9,850	31,000	23,800
6.7L Cummins Diesel	A6 AS69RC	4.10	14,000	6,950	7,046	4,364	2,682	6,000	9,850	33,000	25,800



CREW CAB - CA 60" - 4X2 - SRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A8 8HP75	4.10	10,700	4,490	6,210	3,692	2,518	5,500	6,800	22,000	15,640
6.4L V-8 HEMI	A8 8HP75	4.10	10,000	3,790	6,210	3,692	2,518	5,500	6,800	24,000	17,640
6.4L V-8 HEMI	A6 AS66RC	4.44	10,700	4,360	6,340	3,802	2,538	5,500	6,800	25,000	18,510
6.7L Cummins Diesel	A6 AS69RC	3.73	11,600	4,550	7,054	4,412	2,642	6,000	6,800	25,000	17,800
6.7L Cummins Diesel	A6 AS69RC	4.10	11,600	4,550	7,054	4,412	2,642	6,000	6,800	27,500	20,300

CREW CAB - CA 60" - 4X2 - DRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A8 8HP75	4.10	13,500	6,910	6,594	3,743	2,851	5,500	9,850	22,000	15,260
6.4L V-8 HEMI	A6 AS66RC	4.44	14,000	7,270	6,726	3,853	2,873	5,500	9,850	25,000	18,120
6.7L Cummins Diesel	A6 AS69RC	3.73	14,000	6,560	7,438	4,463	2,975	6,000	9,850	31,000	23,410
6.7L Cummins Diesel	A6 AS69RC	4.10	14,000	6,560	7,438	4,463	2,975	6,000	9,850	33,000	25,410

REGULAR CAB - CA 60" - 4X4 - SRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A8 8HP75	4.10	11,000	4,990	6,013	3,732	2,281	5,500	5,500	22,000	15,840
6.4L V-8 HEMI	A8 8HP75	4.10	10,000	3,990	6,013	3,732	2,281	5,500	6,800	24,000	17,840
6.4L V-8 HEMI	A6 AS66RC	4.44	11,000	4,860	6,143	3,842	2,301	5,500	6,800	25,000	18,710
6.7L Cummins Diesel	A6 AS69RC	3.73	12,000	5,140	6,857	4,452	2,405	6,000	6,800	25,000	17,990
6.7L Cummins Diesel	A6 AS69RC	4.10	12,000	5,140	6,857	4,452	2,405	6,000	6,800	27,500	20,490



REGULAR CAB - CA 60" - 4X4 - DRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A8 8HP75	4.10	13,500	7,150	6,353	3,752	2,601	5,500	9,850	22,000	15,500
6.4L V-8 HEMI	A6 AS66RC	4.44	14,000	7,520	6,483	3,862	2,621	5,500	9,850	25,000	18,370
6.7L Cummins Diesel	A6 AS69RC	3.73	14,000	6,800	7,203	4,481	2,722	6,000	9,850	31,000	23,650
6.7L Cummins Diesel	A6 AS69RC	4.10	14,000	6,800	7,203	4,481	2,722	6,000	9,850	33,000	25,650

REGULAR CAB - CA 84" - 4X4 - DRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A8 8HP75	4.10	13,500	7,020	6,485	3,880	2,605	5,500	9,850	22,000	15,370
6.4L V-8 HEMI	A6 AS66RC	4.44	14,000	7,390	6,615	3,990	2,625	5,500	9,850	25,000	18,240
6.7L Cummins Diesel	A6 AS69RC	3.73	14,000	6,670	7,329	4,600	2,729	6,000	9,850	31,000	23,520
6.7L Cummins Diesel	A6 AS69RC	4.10	14,000	6,670	7,329	4,600	2,729	6,000	9,850	33,000	25,520

CREW CAB - CA 60" - 4X4 - SRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A8 8HP75	4.10	11,000	4,470	6,529	3,950	2,579	5,500	6,800	22,000	15,320
6.4L V-8 HEMI	A8 8HP75	4.10	10,000	3,470	6,529	3,950	2,579	5,500	6,800	24,000	17,320
6.4L V-8 HEMI	A6 AS66RC	4.44	11,000	4,340	6,659	4,060	2,599	5,500	6,800	25,000	18,190
6.7L Cummins Diesel	A6 AS69RC	3.73	12,000	4,630	7,373	4,670	2,703	6,000	6,800	25,000	17,480
6.7L Cummins Diesel	A6 AS69RC	4.10	12,000	4,630	7,373	4,670	2,703	6,000	6,800	27,500	19,980



CREW CAB - CA 60" - 4X4 - DRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A8 8HP75	4.10	13,500	6,630	6,869	3,970	2,899	5,500	9,850	22,000	14,980
6.4L V-8 HEMI	A6 AS66RC	4.44	14,000	7,000	6,999	4,080	2,919	5,500	9,850	25,000	17,850
6.7L Cummins Diesel	A6 AS69RC	3.73	14,000	6,280	7,723	4,701	3,022	6,000	9,850	31,000	23,130
6.7L Cummins Diesel	A6 AS69RC	4.10	14,000	6,280	7,723	4,701	3,022	6,000	9,850	33,000	25,130

RAM 4500 CHASSIS CAB TRAILER TOWING CHART

REGULAR CAB - CA 60" - 4X2 - DRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	8,190	6,808	3,770	3,038	6,000	12,000	26,000	19,040
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	8,190	6,808	3,770	3,038	6,000	12,000	28,500	21,540
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	9,190	6,808	3,770	3,038	6,000	12,000	26,000	19,040
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	9,190	6,808	3,770	3,038	6,000	12,000	28,500	21,540
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	9,690	6,808	3,770	3,038	6,000	12,000	26,000	19,040
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	9,690	6,808	3,770	3,038	6,000	12,000	28,500	21,540
6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	7,420	7,580	4,408	3,172	7000/7250	12,000	32,000	24,270
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	7,420	7,580	4,408	3,172	7000/7250	12,000	37,500	29,770
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	8,420	7,580	4,408	3,172	7000/7250	12,000	32,000	24,270
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	8,420	7,580	4,408	3,172	7000/7250	12,000	37,500	29,770
6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	8,920	7,580	4,408	3,172	7000/7250	12,000	32,000	24,270
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	8,920	7,580	4,408	3,172	7000/7250	12,000	37,500	29,770



REGULAR CAB - CA 84" - 4X2 - DRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	8,030	6,973	3,880	3,093	6,000	12,000	26,000	18,880
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	8,030	6,973	3,880	3,093	6,000	12,000	28,500	21,380
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	9,030	6,973	3,880	3,093	6,000	12,000	26,000	18,880
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	9,030	6,973	3,880	3,093	6,000	12,000	28,500	21,380
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	9,530	6,973	3,880	3,093	6,000	12,000	26,000	18,880
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	9,530	6,973	3,880	3,093	6,000	12,000	28,500	21,380
6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	7,190	7,814	4,578	3,236	7000/7250	12,000	32,000	24,040
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	7,190	7,814	4,578	3,236	7000/7250	12,000	37,500	29,540
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	8,190	7,814	4,578	3,236	7000/7250	12,000	32,000	24,040
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	8,190	7,814	4,578	3,236	7000/7250	12,000	37,500	29,540
6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	8,690	7,814	4,578	3,236	7000/7250	12,000	32,000	24,040
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	8,690	7,814	4,578	3,236	7000/7250	12,000	37,500	29,540



REGULAR CAB - CA 108" - 4X2 - DRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	7,880	7,121	3,954	3,167	6,500	12,000	26,000	18,730
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	7,880	7,121	3,954	3,167	6,500	12,000	28,500	21,230
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	8,880	7,121	3,954	3,167	6,500	12,000	26,000	18,730
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	8,880	7,121	3,954	3,167	6,500	12,000	28,500	21,230
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	9,380	7,121	3,954	3,167	6,500	12,000	26,000	18,730
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	9,380	7,121	3,954	3,167	6,500	12,000	28,500	21,230
6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	7,100	7,899	4,619	3,280	7000/7250	12,000	32,000	23,950
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	7,100	7,899	4,619	3,280	7000/7250	12,000	37,500	29,450
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	8,100	7,899	4,619	3,280	7000/7250	12,000	32,000	23,950
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	8,100	7,899	4,619	3,280	7000/7250	12,000	37,500	29,450
6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	8,600	7,899	4,619	3,280	7000/7250	12,000	32,000	23,950
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	8,600	7,899	4,619	3,280	7000/7250	12,000	37,500	29,450



REGULAR CAB - CA 120" - 4X2 - DRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	7,740	7,261	4,024	3,237	6,500	12,000	26,000	18,590
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	7,740	7,261	4,024	3,237	6,500	12,000	28,500	21,090
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	8,740	7,261	4,024	3,237	6,500	12,000	26,000	18,590
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	8,740	7,261	4,024	3,237	6,500	12,000	28,500	21,090
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	9,240	7,261	4,024	3,237	6,500	12,000	26,000	18,590
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	9,240	7,261	4,024	3,237	6,500	12,000	28,500	21,090
6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	7,020	7,979	4,659	3,320	7000/7250	12,000	32,000	23,870
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	7,020	7,979	4,659	3,320	7000/7250	12,000	37,500	29,370
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	8,020	7,979	4,659	3,320	7000/7250	12,000	32,000	23,870
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	8,020	7,979	4,659	3,320	7000/7250	12,000	37,500	29,370
6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	8,520	7,979	4,659	3,320	7000/7250	12,000	32,000	23,870
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	8,520	7,979	4,659	3,320	7000/7250	12,000	37,500	29,370



CREW CAB - CA 60" - 4X2 - DRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	7,610	7,386	4,032	3,354	6,000	12,000	26,000	18,460
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	7,610	7,386	4,032	3,354	6,000	12,000	28,500	20,960
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	8,610	7,386	4,032	3,354	6,000	12,000	26,000	18,460
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	8,610	7,386	4,032	3,354	6,000	12,000	28,500	20,960
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	9,110	7,386	4,032	3,354	6,000	12,000	26,000	18,460
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	9,110	7,386	4,032	3,354	6,000	12,000	28,500	20,960
6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	6,770	8,227	4,750	3,477	7000/7250	12,000	32,000	23,620
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	6,770	8,227	4,750	3,477	7000/7250	12,000	37,500	29,120
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	7,770	8,227	4,750	3,477	7000/7250	12,000	32,000	23,620
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	7,770	8,227	4,750	3,477	7000/7250	12,000	37,500	29,120
6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	8,270	8,227	4,750	3,477	7000/7250	12,000	32,000	23,620
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	8,270	8,227	4,750	3,477	7000/7250	12,000	37,500	29,120



CREW CAB - CA 84" - 4X2 - DRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	7,470	7,526	4,216	3,310	6,000	12,000	26,000	18,320
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	7,470	7,526	4,216	3,310	6,000	12,000	28,500	20,820
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	8,470	7,526	4,216	3,310	6,000	12,000	26,000	18,320
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	8,470	7,526	4,216	3,310	6,000	12,000	28,500	20,820
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	8,970	7,526	4,216	3,310	6,000	12,000	26,000	18,320
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	8,970	7,526	4,216	3,310	6,000	12,000	28,500	20,820
6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	6,630	8,367	4,934	3,433	7000/7250	12,000	32,000	23,480
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	6,630	8,367	4,934	3,433	7000/7250	12,000	37,500	28,980
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	7,630	8,367	4,934	3,433	7000/7250	12,000	32,000	23,480
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	7,630	8,367	4,934	3,433	7000/7250	12,000	37,500	28,980
6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	8,130	8,367	4,934	3,433	7000/7250	12,000	32,000	23,480
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	8,130	8,367	4,934	3,433	7000/7250	12,000	37,500	28,980



REGULAR CAB - CA 60" - 4X4 - DRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	7,800	7,197	4,037	3,160	6,000	12,000	26,000	18,650
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	7,800	7,197	4,037	3,160	6,000	12,000	28,500	21,150
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	8,800	7,197	4,037	3,160	6,000	12,000	26,000	18,650
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	8,800	7,197	4,037	3,160	6,000	12,000	28,500	21,150
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	9,300	7,197	4,037	3,160	6,000	12,000	26,000	18,650
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	9,300	7,197	4,037	3,160	6,000	12,000	28,500	21,150
6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	7,020	7,980	4,715	3,265	7000/7250	12,000	32,000	23,870
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	7,020	7,980	4,715	3,265	7000/7250	12,000	37,500	29,370
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	8,020	7,980	4,715	3,265	7000/7250	12,000	32,000	23,870
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	8,020	7,980	4,715	3,265	7000/7250	12,000	37,500	29,370
6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	8,520	7,980	4,715	3,265	7000/7250	12,000	32,000	23,870
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	8,520	7,980	4,715	3,265	7000/7250	12,000	37,500	29,370



REGULAR CAB - CA 84" - 4X4 - DRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	7,650	7,349	4,208	3,141	6,000	12,000	26,000	18,500
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	7,650	7,349	4,208	3,141	6,000	12,000	28,500	21,000
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	8,650	7,349	4,208	3,141	6,000	12,000	26,000	18,500
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	8,650	7,349	4,208	3,141	6,000	12,000	28,500	21,000
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	9,150	7,349	4,208	3,141	6,000	12,000	26,000	18,500
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	9,150	7,349	4,208	3,141	6,000	12,000	28,500	21,000
6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	6,810	8,190	4,926	3,264	7000/7250	12,000	32,000	23,660
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	6,810	8,190	4,926	3,264	7000/7250	12,000	37,500	29,160
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	7,810	8,190	4,926	3,264	7000/7250	12,000	32,000	23,660
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	7,810	8,190	4,926	3,264	7000/7250	12,000	37,500	29,160
6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	8,310	8,190	4,926	3,264	7000/7250	12,000	32,000	23,660
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	8,310	8,190	4,926	3,264	7000/7250	12,000	37,500	29,160



REGULAR CAB - CA 108" - 4X4 - DRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	7,530	7,467	3,953	3,514	6,500	12,000	26,000	18,380
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	7,530	7,467	3,953	3,514	6,500	12,000	28,500	20,880
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	8,530	7,467	3,953	3,514	6,500	12,000	26,000	18,380
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	8,530	7,467	3,953	3,514	6,500	12,000	28,500	20,880
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	9,030	7,467	3,953	3,514	6,500	12,000	26,000	18,380
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	9,030	7,467	3,953	3,514	6,500	12,000	28,500	20,880
6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	6,690	8,310	4,672	3,638	7000/7250	12,000	32,000	23,540
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	6,690	8,310	4,672	3,638	7000/7250	12,000	37,500	29,040
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	7,690	8,310	4,672	3,638	7000/7250	12,000	32,000	23,540
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	7,690	8,310	4,672	3,638	7000/7250	12,000	37,500	29,040
6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	8,190	8,310	4,672	3,638	7000/7250	12,000	32,000	23,540
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	8,190	8,310	4,672	3,638	7000/7250	12,000	37,500	29,040



REGULAR CAB - CA 120" - 4X4 - DRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	7,470	7,528	3,984	3,544	6,500	12,000	26,000	18,320
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	7,470	7,528	3,984	3,544	6,500	12,000	28,500	20,820
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	8,470	7,528	3,984	3,544	6,500	12,000	26,000	18,320
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	8,470	7,528	3,984	3,544	6,500	12,000	28,500	20,820
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	8,970	7,528	3,984	3,544	6,500	12,000	26,000	18,320
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	8,970	7,528	3,984	3,544	6,500	12,000	28,500	20,820
6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	6,630	8,370	4,702	3,668	7000/7250	12,000	32,000	23,480
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	6,630	8,370	4,702	3,668	7000/7250	12,000	37,500	28,980
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	7,630	8,370	4,702	3,668	7000/7250	12,000	32,000	23,480
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	7,630	8,370	4,702	3,668	7000/7250	12,000	37,500	28,980
6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	8,130	8,370	4,702	3,668	7000/7250	12,000	32,000	23,480
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	8,130	8,370	4,702	3,668	7000/7250	12,000	37,500	28,980



CREW CAB - CA 60" - 4X4 - DRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	7,260	7,739	4,340	3,399	6,000	12,000	26,000	18,110
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	7,260	7,739	4,340	3,399	6,000	12,000	28,500	20,610
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	8,260	7,739	4,340	3,399	6,000	12,000	26,000	18,110
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	8,260	7,739	4,340	3,399	6,000	12,000	28,500	20,610
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	8,760	7,739	4,340	3,399	6,000	12,000	26,000	18,110
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	8,760	7,739	4,340	3,399	6,000	12,000	28,500	20,610
6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	6,420	8,580	5,078	3,502	7000/7250	12,000	32,000	23,270
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	6,420	8,580	5,078	3,502	7000/7250	12,000	37,500	28,770
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	7,420	8,580	5,078	3,502	7000/7250	12,000	32,000	23,270
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	7,420	8,580	5,078	3,502	7000/7250	12,000	37,500	28,770
6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	7,920	8,580	5,078	3,502	7000/7250	12,000	32,000	23,270
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	7,920	8,580	5,078	3,502	7000/7250	12,000	37,500	28,770



CREW CAB - CA 84" - 4X4 - DRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A6 AS66RC	4.44	15,000	7,170	7,830	4,498	3,332	6,000	12,000	26,000	18,020
6.4L V-8 HEMI	A6 AS66RC	4.89	15,000	7,170	7,830	4,498	3,332	6,000	12,000	28,500	20,520
6.4L V-8 HEMI	A6 AS66RC	4.44	16,000	8,170	7,830	4,498	3,332	6,000	12,000	26,000	18,020
6.4L V-8 HEMI	A6 AS66RC	4.89	16,000	8,170	7,830	4,498	3,332	6,000	12,000	28,500	20,520
6.4L V-8 HEMI	A6 AS66RC	4.44	16,500	8,670	7,830	4,498	3,332	6,000	12,000	26,000	18,020
6.4L V-8 HEMI	A6 AS66RC	4.89	16,500	8,670	7,830	4,498	3,332	6,000	12,000	28,500	20,520
6.7L Cummins Diesel	A6 AS69RC	4.10	15,000	6,330	8,671	5,236	3,435	7000/7250	12,000	32,000	23,180
6.7L Cummins Diesel	A6 AS69RC	4.44	15,000	6,330	8,671	5,236	3,435	7000/7250	12,000	37,500	28,680
6.7L Cummins Diesel	A6 AS69RC	4.10	16,000	7,330	8,671	5,236	3,435	7000/7250	12,000	32,000	23,180
6.7L Cummins Diesel	A6 AS69RC	4.44	16,000	7,330	8,671	5,236	3,435	7000/7250	12,000	37,500	28,680
6.7L Cummins Diesel	A6 AS69RC	4.10	16,500	7,830	8,671	5,236	3,435	7000/7250	12,000	32,000	23,180
6.7L Cummins Diesel	A6 AS69RC	4.44	16,500	7,830	8,671	5,236	3,435	7000/7250	12,000	37,500	28,680

RAM 5500 CHASSIS CAB TRAILER TOWING CHART

REGULAR CAB - CA 60" - 4X2 - DRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	11,140	6,862	3,750	3,112	6000/6500	13,500	26,000	18,990
6.4L V-8 HEMI	A6 AS66RC	4.89	19,000	12,140	6,862	3,750	3,112	6000/6500	13,500	28,500	21,490
6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	11,870	7,629	4,498	3,131	7000/7250	13,500	32,000	24,220
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	11,870	7,629	4,498	3,131	7000/7250	13,500	43,000	35,220



REGULAR CAB - CA 84" - 4X2 - DRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	11,010	6,988	3,890	3,098	6000/6500	13,500	26,000	18,860
6.4L V-8 HEMI	A6 AS66RC	4.89	19,500	12,510	6,988	3,890	3,098	6000/6500	13,500	28,500	21,360
6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	11,750	7,754	4,568	3,186	7000/7250	13,500	32,000	24,100
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	11,750	7,754	4,568	3,186	7000/7250	13,500	43,000	35,100

REGULAR CAB - CA 108" - 4X2 - DRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	10,840	7,160	4,031	3,129	6500/7000	13,500	26,000	18,690
6.4L V-8 HEMI	A6 AS66RC	4.89	19,500	12,340	7,160	4,031	3,129	6500/7000	13,500	28,500	21,190
6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	11,660	7,839	4,609	3,230	7000/7250	13,500	32,000	24,010
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	11,660	7,839	4,609	3,230	7000/7250	13,500	43,000	35,010

REGULAR CAB - CA 120" - 4X2 - DRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	10,790	7,212	4,076	3,136	6500/7000	13,500	26,000	18,640
6.4L V-8 HEMI	A6 AS66RC	4.89	19,500	12,290	7,212	4,076	3,136	6500/7000	13,500	28,500	21,140
6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	11,570	7,929	4,654	3,275	7000/7250	13,500	32,000	23,920
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	11,570	7,929	4,654	3,275	7000/7250	13,500	43,000	34,920

CREW CAB - CA 60" - 4X2 - DRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	10,630	7,369	4,033	3,336	6000/7000	13,500	26,000	18,480
6.4L V-8 HEMI	A6 AS66RC	4.89	19,000	11,630	7,369	4,033	3,336	6000/7000	13,500	28,500	20,980
6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	11,290	8,210	4,751	3,459	7000/7250	13,500	32,000	23,640
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	11,290	8,210	4,751	3,459	7000/7250	13,500	43,000	34,640



CREW CAB - CA 84" - 4X2 - DRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	10,440	7,562	4,211	3,351	6000/7000	13,500	26,000	18,290
6.4L V-8 HEMI	A6 AS66RC	4.89	19,500	11,940	7,562	4,211	3,351	6000/7000	13,500	28,500	20,790
6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	11,100	8,403	4,929	3,474	7000/7250	13,500	32,000	23,450
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	11,100	8,403	4,929	3,474	7000/7250	13,500	43,000	34,450

REGULAR CAB - CA 60" - 4X4 - DRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	10,770	7,234	4,049	3,185	6000/6500	13,500	26,000	18,620
6.4L V-8 HEMI	A6 AS66RC	4.89	19,000	11,770	7,234	4,049	3,185	6000/6500	13,500	28,500	21,120
6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	11,450	8,047	4,748	3,299	7000/7250	13,500	32,000	23,800
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	11,450	8,047	4,748	3,299	7000/7250	13,500	43,000	34,800

REGULAR CAB - CA 84" - 4X4 - DRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	10,630	7,366	4,215	3,151	6000/6500	13,500	26,000	18,480
6.4L V-8 HEMI	A6 AS66RC	4.89	19,500	12,130	7,366	4,215	3,151	6000/6500	13,500	28,500	20,980
6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	11,320	8,179	4,914	3,265	7000/7250	13,500	32,000	23,670
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	11,320	8,179	4,914	3,265	7000/7250	13,500	43,000	34,670

REGULAR CAB - CA 108" - 4X4 - DRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	10,490	7,510	4,349	3,161	6500/7000	13,500	26,000	18,340
6.4L V-8 HEMI	A6 AS66RC	4.89	19,500	11,990	7,510	4,349	3,161	6500/7000	13,500	28,500	20,840
6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	11,180	8,323	5,048	3,275	7000/7250	13,500	32,000	23,530
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	11,180	8,323	5,048	3,275	7000/7250	13,500	43,000	34,530



REGULAR CAB - CA 120" - 4X4 - DRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	10,410	7,588	4,410	3,178	6500/7000	13,500	26,000	18,260
6.4L V-8 HEMI	A6 AS66RC	4.89	19,500	11,910	7,588	4,410	3,178	6500/7000	13,500	28,500	20,760
6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	11,100	8,401	5,109	3,292	7000/7250	13,500	32,000	23,450
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	11,100	8,401	5,109	3,292	7000/7250	13,500	43,000	34,450

CREW CAB - CA 60" - 4X4 - DRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	10,250	7,750	4,364	3,386	6000/7000	13,500	26,000	18,100
6.4L V-8 HEMI	A6 AS66RC	4.89	19,000	11,250	7,750	4,364	3,386	6000/7000	13,500	28,500	20,600
6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	10,940	8,563	5,063	3,500	7000/7250	13,500	32,000	23,290
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	10,940	8,563	5,063	3,500	7000/7250	13,500	43,000	34,290

CREW CAB - CA 84" - 4X4 - DRW

Engine	Transmission	Axle Ratio	GVWR	Payload	Base Weight Total	Base Weight Front	Base Weight Rear	GAWR Front	GAWR Rear	GCWR	Max. Trailer Weight Rating
6.4L V-8 HEMI	A6 AS66RC	4.44	18,000	10,080	7,920	4,530	3,390	6000/7000	13,500	26,000	17,930
6.4L V-8 HEMI	A6 AS66RC	4.89	19,500	11,580	7,920	4,530	3,390	6000/7000	13,500	28,500	20,430
6.7L Cummins Diesel	A6 AS69RC	4.44	19,500	10,770	8,733	5,229	3,504	7000/7250	13,500	32,000	23,120
6.7L Cummins Diesel	A6 AS69RC	4.89	19,500	10,770	8,733	5,229	3,504	7000/7250	13,500	43,000	34,120

###