### FEATURE AVAILABILITY

# 2019 Ram 3500, 4500 & 5500 Chassis Cab **FEATURE AVAILABILITY**

S = Standard. O = Optional. P = Part of package. Note: some features and/or applications may be late availability.

	TRADESMAN	SLT	LARAMIE	LIMITED
	Reg / Crew	Reg / Crew	Crew	Crew
CONFIGURATION				
3500				
BODY MODEL				
Regular Cab – 60-in. CA (143.5-in. wheelbase)	Х	Х	_	_
Regular Cab – 84-in. CA (167.5-in. wheelbase) (N/A with 10,000-lb. GVWR)	Х	Х	_	_
Crew Cab – 60-in. CA (172.4-in. wheelbase)	Х	Х	Х	Х
DRIVE SYSTEM  4x2  4x4	S O	S O	S O	S
4500/5500				
BODY MODEL				
Regular Cab – 60-in. CA (144.5-in. wheelbase)	Х	Х		
Regular Cab – 84-in. CA (168.5-in. wheelbase)	Х	Х	_	_
Regular Cab – 108-in. CA (192.5-in. wheelbase)	Х	Х	_	_
Regular Cab – 120-in. CA (204.5-in. wheelbase)	Х	Х	_	_
Crew Cab – 60-in. CA (173.5-in. wheelbase)	Х	Х	Х	Х
Crew Cab – 84-in. CA (197.4-in. wheelbase)	Х	Х	Х	Х

	TRADESMAN	SLT	LARAMIE	LIMITED
	Reg / Crew	Reg / Crew	Crew	Crew
DRIVE SYSTEM				
4x2	S	S	S	S
4x4	0	0	0	0

POWERTRAIN				
ENGINE / TRANSMISSION				
6.4-liter HEMI® V-8 (3500) with 8-speed 8HP75 automatic transmission	S	S	S	S
6.4-liter HEMI V-8 (3500/4500/5500) with 6-speed AS66RC Aisin automatic transmission	S/P	S/P	S/P	S/P
6.7-liter Cummins Turbo Diesel I-6 with 6-speed AS69RC Aisin automatic transmission	0	0	0	0

MECHANICAL				
ALTERNATOR				
180-amp	S	S	S	S
220-amp, (Included on 3500/4500/5500 models with Heavy-Duty Snowplow Prep Group; included with Electrical Accessory Group and Ambulance Prep Group)	O/P	O/P	O/P	O/P
380-amp (dual 160-amp and 220-amp; requires 6.4-liter)	0	0	0	0
440-amp (dual 220-amp alternators; requires 6.7-liter)	O/P	O/P	O/P	O/P
AXLES: 3500				
Single Rear Wheel Group	S	S	S	S
Dual rear wheels	S	S	S	S
Dual rear wheels	0	0	0	0
Front, 6,000-lb. GAWR (SRW axle)	S	S	S	S

	TRADESMAN	SLT	LARAMIE	LIMITED
	Reg / Crew	Reg / Crew	Crew	Crew
Rear, 11.50-in. (SRW axle)	S	S	S	S
Front, 205 mm (DRW axle)	S/O	S/O	S/O	S/O
Rear, 11.50-in. (DRW axle)	S/O	S/O	S/O	S/O
Rear, 12.0-in. (DRW axle)	Р	Р	Р	Р
AXLE RATIOS: 3500				
3.73 ratio (packaged with diesel models only)	Р	Р	Р	Р
4.10 ratio (standard with gas)	S	S	S	S
Rear, anti-spin differential	S	S	S	S
AXLES: 4500/5500				
Dual rear heel	S	S	S	S
Front, 10.5-in.	S	S	S	S
Front, 10.5-in., 7,250-lb. GAWR	0	0	0	0
Front axle disconnect (4500/5500 4x4)	S	S	S	S
Rear, anti-spin differential	S	S	S	S

	TRADESMAN	SLT	LARAMIE	LIMITED
	Reg / Crew	Reg / Crew	Crew	Crew
AXLE RATIOS: 4500				
Rear, 4.10 ratio (packaged with 6.7-liter 4500)	Р	Р	Р	Р
4.44 ratio (standard on 4500)	S	S	S	S
4.89 ratio (available on 4500 6.4-liter)	O/P	O/P	O/P	O/P
Rear, American Axle, (4500: 12,000-lb. GAWR)	S	S	S	S
AXLE RATIOS: 5500				
4.44 ratio	S	S	S	s
4.89 ratio (available on 4500 6.4-liter)	O/P	O/P	O/P	O/P
Rear, American Axle, (5500: 13,500-lb. GAWR)	S	S	S	S
FUEL TANK				
52-gallon, rear	S	S	S	S
74 dual-gallon: 52- and 22-gallon tanks	0	0	0	0
22-gallon mid-ship fuel tank	0	0	0	0
POWER TAKE OFF (PTO)				
Stationary elevated engine idle up	S	S	S	S
Right-side PTO	0	0	0	0

	TRADESMAN	SLT	LARAMIE	LIMITED
	Reg / Crew	Reg / Crew	Crew	Crew
Left-side PTO	0	0	0	0
Split-shaft PTO (packaged with PTO, if diesel)	Р	Р	Р	Р
Hard-wired remote start/stop (packaged with PTO)	Р	Р	Р	Р

EXTERIOR FEATURES				
ENGINE SHUT-OFF TIMER				
6.4-liter and 6.7-liter (5 minutes) (dealer programmable from 1 to 60 minutes)	0	0	0	0

INTERIOR FEATURES				
INSTRUMENT CLUSTER DISPLAYS				
Cluster 3.5-in. TFT B&W display	S	S	_	_
Cluster 3.5-in. TFT color display	_	Р	_	_
Cluster 7.0-in. TFT color display	Р	Р	S	S
TELEMATICS				
Ram Telematics System by Telogis	0	0	0	0

	TRADESMAN	SLT	LARAMIE	LIMITED
	Reg / Crew	Reg / Crew	Crew	Crew
UP-FITTER INTERFACE				
Vehicle system interface module (VSIM)	S	S	S	S

UCONNECT MULTIMEDIA				
BLUETOOTH				
Uconnect Voice Command with Bluetooth	S	S	S	S
COMPASS				
Compass display in the radio (Tradesman availability only with optional 5.0-in. radio)	Р	S	S	S
GPS antenna input on radio (packaged with 5.0-in., 8.4-in. and 12.0-in. radios)	Р	Р	Р	Р
CONNECTIVITY				
Front: Media hub - includes two fully-functional type A/C USB port pairs and one aux jack (four USB connection points)	S	S	S	S
Middle: 2.5-amp charge only single USB port (located in center console or armrest)	S	S	S	S
Rear: Dual remote USB port 2 A/C pairs; one pair fully functional, one pair charge only (packaged with Luxury Group)	_	Р	S	S
Auxiliary headphone jack for mobile devices	S	S	S	S
Wireless charging pad (includes CD player; packaged with Laramie)	_	_	Р	S

	TRADESMAN	SLT	LARAMIE	LIMITED
	Reg / Crew	Reg / Crew	Crew	Crew
POWER				
Accessory delay	S	S	S	S
Auxiliary outlets (one battery and one ignition-fed)	S	S	S	S
115-volt auxiliary power outlet, instrument panel-mounted (Tradesman option) (SLT packaged)	0	Р	S	S
115-volt auxiliary power outlet, rear facing, (Crew Cab only) (packaged with SLT)	_	Р	S	S
400-watt inverter	Р	Р	Р	Р
RADIOS				
Uconnect 3.0 (handsfree Bluetooth), associated display	S	_	_	_
Uconnect 5.0 - AM/FM with 5.0-in. touchscreen display, media hub (USB, Auxiliary), Bluetooth, SiriusXM Radio, associated display	0	S	_	_
Uconnect 8.4 - AM/FM with 8.4-in. touchscreen display, media hub (USB, Auxiliary), Uconnect with Bluetooth, SiriusXM Radio, HD radio, associated display	_	0	S	_
Uconnect 8.4 AM/FM with 8.4-in. touchscreen display, media hub (USB, Auxiliary), Navigation, Uconnect with Bluetooth, SiriusXM Radio, HD radio, (packaged with Laramie) (SLT option is Crew only)	_	0	O/P	S
Uconnect 12.0 - AM/FM/BT/SXM/NAV/HD/CELL, Apple CarPlay and Android Auto, SiriusXM Radio (packaged with Limited)	_	_	0	O/P
Radio controls, steering wheel-mounted audio controls	Р	Р	S	S

	TRADESMAN	SLT	LARAMIE	LIMITED
	Reg / Crew	Reg / Crew	Crew	Crew
SAFETY AND SECURITY				
CAMERA				
ParkView rear backup camera	0	0	0	S
Cargo View Camera requires 8.4-in. or 12-in. radio, includes LED CHMSL and cargo lamps	_	0	0	0
Auxiliary Wired Camera	_	0	0	0
Auxiliary Camera Prep, incudes vehicle trailer wiring, camera HMI in radio, 12-pin connector at rear frame rail	_	O/P	O/P	O/P
Surround View Camera (five digital cameras)	_	Р	Р	Р
PARKSENSE				
Rear park assist	0	0	0	_
Front/rear park assist	0	0	0	S
SAFETY FEATURES				
Security alarm	_	0	S	S
Backup alarm (audible alarm when vehicle is in reverse)	0	0	0	0
Lane Departure Warning, (Lane Keep Assist)	Р	Р	Р	Р
Adaptive Steering (stand alone option)	Р	Р	P/O	P/O
Adaptive Cruise Control with Stop	Р	Р	Р	Р

	TRADESMAN	SLT	LARAMIE	LIMITED
	Reg / Crew	Reg / Crew	Crew	Crew
Ready Alert Braking	S	S	S	S
Full Speed Forward Collision Warning Plus (available with Adaptive Cruise)	Р	Р	Р	Р
Tire-fill alert system (must have 5-in. radio with Tradesman)	0	0	S	S
Selectable Tire Fill Alert (packaged with 8.4-in. and 12-in. radios on SLT)	_	Р	S	S
Tire Pressure Information System	0	S	S	S
Tire Pressure Monitoring Display	S	S	S	S
Trailer Tire Pressure Monitoring	_	0	0	0
Trailer Reverse Guidance	_	Р	Р	Р
DOT-certified Roadside Safety Kit (DOT fire extinguisher, three reflecting triangles, spare fuses, two red vinyl flags)	0	0	0	0
Max Speed Settings (65mph, 70mph, 77mph)	0	0	0	0
Auto High Beam Headlamp Control	Р	Р	Р	S
Rain Sensing Wipers	Р	Р	Р	S
Auxiliary Reverse Lamps (packaged with SLT)	0	O/P	S	S

	TRADESMAN	SLT	LARAMIE	LIMITED
	Reg / Crew	Reg / Crew	Crew	Crew
PACKAGES/EQUIPMENT GROUPS				
Electrical Accessory Group	0	0	0	0
220-amp alternator				
Voltage Monitoring Auto Idle Up				
Trailer Brake Control				
Ambulance Prep Group	0	0	0	0
220-amp alternator				
Voltage Monitoring Auto Idle Up				
Remote rear heat/AC (provides ability to run auxiliary mounted heater and A/C controls)	C independe	ntly of instr	ument pan	el
A/C line tap and engine coolant access for upfitter				
Foam roof blocks (included with Regular Cab only)				
Chrome Appearance Group	0	_	_	_
Chrome front bumper (3500/4500/5500)				
Chrome grille (3500/4500/5500)				
Chrome inserts				
Chrome clad steel wheel on 3500 DRW				
Chrome clad steel wheel on 3500 SRW				
New bright wheel cover (4500/5500)				
Cold Weather Group (Diesel option)	0	0	0	0
Engine block heater cord				
Winter front grille cover				

	TRADESMAN	SLT	LARAMIE	LIMITED
	Reg / Crew	Reg / Crew	Crew	Crew
Comfort Group	_	0	_	_
Heated steering wheel Leather-wrapped steering wheel and audio controls Cluster 3.5-in. TFT color display				
L1 Equipment Group	0	_	_	_
Overhead console (Regular Cab)  Power windows (Regular Cab)  Power door locks (Regular Cab) (speed sensitive actuation)  Power black trailer tow mirrors (Regular Cab)  Door Trim: (Regular Cab)  (wrapped bolster/armrest, 360 door handle, join seam, Iron Gray painted surre Remote Keyless Entry  Interior door handles, satin chrome polished	ound and ac	cent)		
P1 Equipment Group	_	_	0	_
Auto high beam headlamp control Rain-sensing wipers Foam bottle door inserts Ventilated three-level front driver/passenger seats Power-adjustable pedals Radio, driver, seat, mirror, pedals memory CD player				
P2 Equipment Group: (Includes P1 Equipment Group Content)	_	_	0	_
Uconnect 8.4 (AM/FM/SAT/BLUETOOTH/NAV/VOICE)  17 speakers  Wireless charging pad  Rear seat heat (three level)				

	TRADESMAN	SLT	LARAMIE	LIMITED
	Reg / Crew	Reg / Crew	Crew	Crew
M1 Equipment Group	_	_	_	0
12-in. radio				
17-speaker system				
Full Speed Forward Collision Warning Plus with Auto Emergency Braking				
Adaptive Cruise Control with Stop				
Surround View Camera				
Premium Lighting Group	_	0	_	_
LED headlamps				
LED fog lamps				
Cluster 3.5-in. TFT color display				
Safety Group	0	0	0	0
Forward Collision Warning Plus with Auto Emergency Braking				
Adaptive Cruise Control with Stop				
Rain-sensing wipers				
Auto high-beam headlamp control				
Leather-wrapped steering wheel				
Trailer Brake Control (Packaged with Tradesman and SLT)				
Tow Technology Group	_	0	0	0
Surround View Camera				
Trailer reverse guidance				
Aux reverse lamps, mirror-mounted				
Power Convex				

	TRADESMAN	SLT	LARAMIE	LIMITED
	Reg / Crew	Reg / Crew	Crew	Crew
Heavy-Duty Snowplow Prep Group	0	0	0	0
220-amp alternator				
Transfer case skid plate				
Heavy Duty Front Suspension Group (4500 and 5500)				
Luxury Group	_	0	_	_
Passenger/driver cloth visors with incandescent illuminated mirrors, UGDO				
Universal garage door opener				
Rear dome lamp with on/off switch				
Cluster 7.0-in. TFT color display				
Leather-wrapped steering wheel with remote audio control buttons				
Rear backlight, power sliding (Crew Cab only)				
Foam bottle door insert				
115-volt outlet (front)				
115-volt outlet (rear) (Crew only)				
Upper and lower glove box lighting				
Power adjustable pedals				
Rear: Dual remote USB port (Crew only) 2 A/C pairs; one pair fully functional	l, one pair cha	arge only		
Upper glove box door with SLT badge				
Max Tow Package (Requires Diesel and Aisin)	0	0	0	0
12-in. rear axle (3500)				
4.10 axle (3500)				
4.44 axle (4500)				
4.89 axle (5500)				
6.7-liter				
Aisin transmission				
Trailer brake controller				

	TRADESMAN	SLT	LARAMIE	LIMITED
	Reg / Crew	Reg / Crew	Crew	Crew
Max Payload Package (6.4L 5500 only)	0	0	0	0
19K GVWR				
19.5K GVWR				
4.89 axle ratio				
Rollback Carrier Group	0	0	_	_
Voltage Monitoring Auto Idle Up System				
Rollback carrier adaptation brackets				
220-amp alternator				
Left- or right-side PTO				
22-gallon mid-ship gas tank				
Rear Interior Trim Delete Group (Regular Cab only)	0	0	_	_
Delete front center seat				
Delete rear floor storage tray				
Delete cab back trim panel				
15K GVWR Package	0	0	Ο	0
Includes 15,000-lb. Gross Vehicle Weight Rating (4500)				
4x2, 4x4				
16K GVWR Package	0	0	0	0
Includes 16,000-lb. Gross Vehicle Weight Rating (4500) 4x2, 4x4				

## **FEATURE AVAILABILITY**

	TRADESMAN	SLT	LARAMIE	LIMITED
	Reg / Crew	Reg / Crew	Crew	Crew
LATE AVAILABILITY				
Auxiliary Wired Camera	_	0	0	0
Trailer Tire Pressure Monitoring System (TTPMS)	_	0	0	0

• END •