All dimensions are in inches (millimeters) unless otherwise noted.

GENERAL INFORMATION	ON
Body Style	Multipurpose vehicle
	Grand Caravan-Windsor, Ontario, Canada, and Caravan-St. Louis, Missouri
	Multipurpose vehicle
ENGINE: 2.4-LITER, DO	HC, 16-VALVE SMPI I-4
Availability	Std.—Caravan SE
	Inline with balance shafts, liquid-cooled
Displacement	148.2 cu. in. (2429 cu. cm)
Bore x Stroke	3.44 x 3.98 (87.5 x 101.0)
	DOHC, 16 valves, stamped-steel rocker arms with roller followers, hydraulic lash adjusters
Fuel Injection	Sequential multi-port, electronic
Construction	Cast-iron block, cast-iron bedplate, aluminum alloy head
	9.4:1
Power (SAE net)	150 bhp (112 kW) @ 5100 rpm (61.8 bhp/L)
Torque (SAE net)	165 lbft. (226 N•m) @ 4000 rpm
	6250 rpm
Fuel Requirement	Unleaded regular, 87 octane (R+M)/2
Oil Capacity	4.5 qt. (4.25L) plus filter
Coolant Capacity	11.35 qt. (10.74L)
	Three-way catalytic converter, heated oxygen sensors and internal engine features(a)
Max. Gross Trailer Weight	t 1,000 lbs. (450 kg)
Estimated EPA Fuel Econo	omy mpg (City/Hwy)20/26
ENGINE: 3.3-LITER, OH	V, 12-VALVE SMPI V-6
Availability	Std.—Caravan C/V and Caravan SXT; Grand Caravan C/V, Grand Caravan SE and SE Plus
	Six-cylinder, 60° V-type, liquid-cooled
	201.5 cu. in. (3301 cu. cm)
Bore x Stroke	3.66 x 3.19 (93 x 81)
	OHV, 12 valves, roller followers, hydraulic lifters
Fuel Injection	Sequential, multi-port, electronic
Construction	Cast-iron block, aluminum alloy heads
Compression Ratio	9.3:1
Power (SAE net)	180 bhp (134 kW) @ 5000 rpm (54.5 bhp/L)
Torque (SAE net)	210 lbft. (285 N•m) @ 4000 rpm
	5600 rpm
Fuel Recommendation	
Oil Capacity	4 qt. (3.8L) plus filter
	13.36 qt. (12.64L)-std.; 16.28 qt. (15.4L)-with rear heater
Emission Controls	Three-way catalytic converter, heated oxygen sensors, electronic EGR,
	and internal engine features(a)
Max. Gross Trailer Weight	t2,000 lbs. (900 kg)—std.; 3,800 lbs. (1724 kg)—
	with optional Trailer Preparation Group
Estimated EPA Fuel Econo	omy mpg (City/Hwy)19/26-gasoline
(a) Meets Tier 2 Bin 5 (feder	ral) and LEV 2 (CA) emission requirements

ENGINE: 3.8-LITER, OHV, 12-VALVE SMPI V	
Availability	Std.–Grand Caravan SXT
	Six-cylinder, 60° V-type, liquid-cooled
	230.5 cu. in. (3778 cu. cm)
Bore x Stroke	3.78 x 3.43 (96 x 87)
	OHV, 12 valves, roller followers, hydraulic lifters
	Sequential, multi-port, electronic
	Cast-iron block, aluminum alloy heads
Compression Ratio	9.6:1
Power (SAE net)	207 bhp (154 kW) @ 5000 rpm (54.5 bhp/L) Torque (SAE net)
	238 lbft. (323 N•m) @ 4000 rpm
Max. Engine Speed	5600 rpm
Fuel Recommendation	Unleaded regular, 87 octane (R+M)/2
Oil Capacity	
Coolant Capacity	13.36 qt. (12.64L)—std.; 16.28 qt. (15.4L)—with rear heater
Emission Controls	_Three-way catalytic converter, heated oxygen sensors, electronic EGR,
	and internal engine features(a)
Max. Gross Trailer Weight	2,000 lbs. (900 kg)-std.; AWD: 3,500 lbs. (1588 kg);
	FWD: 3,800 lbs. (1724 kg)—with optional Trailer Tow Preparation Group
Estimated EPA Fuel Economy mpg (City/Hwy) $\_$	18/25
TRANSAXLE: AUTOMATIC, FOUR-SPEED O	VERDRIVE
Availability	Std.—All
	Adaptive electronic control, electronically modulated converter clutch
Gear Ratios	_ , ,
1st	2.84
	1.57
	1
4th	
	3.62–3.3L engine; 3.43–3.8L engine
	2.49–3.3L engine; 2.37–3.8L engine
ELECTRICAL SYSTEM	
	140-amp—std.; 160-amp—included with rear air conditioning
71101110101	fog lamps, heated seats and/or Trailer Tow group
Battery	600 CCA—std. with 2.4L; included with Trailer Tow group;
	500 CCA—std. with 3.3L and 3.8L engines
DIMENSIONS AND CAPACITIES(b)	-
Caravan	
Wheelbase	113.3 (2878)
	63.0 (1600)
	64.0 (1626)
	189.3 (4808)
Overall Willi	78.6 (1997)
Overall height (with Poof Pack)	
9 ( ,	68.9 (1749) 5.6 (142)

(b) All dimensions measured at curb weight.

	lbs. $(1707 \text{ kg})$ –C/V; 3,817 lbs. $(1731 \text{ kg})$ –SE; 3,921 lbs. $(1779 \text{ kg})$ –SX
	58/42-SE; 58/42-SX
Frontal area	31.17 sq. ft. (2.90 sq. m
	0.3
Fuel tank capacity	20 gal. (75L
Grand Caravan	
Wheelbase	119.3 (3030
Track, front	63.0 (1600
	64.0 (1626
Overall length	200.5 (5093
Overall width	78.6 (1997
Overall height (with Roof Rack)	68.9 (1750
Ground clearance	5.5 (138
Curb weight (estimated)	3,841 lbs. (1742 kg)—Grand C/V; 3,960 lbs. (1796 kg)—SI
	4,325 lbs. (1962 kg)-SX
Weight distribution, %F/R	58/42–SE; 56/44–SX
Frontal area	31.17 sq. ft. (2.90 sq. m
Drag coefficient	0.3
Fuel tank capacity	20 gal. (75l
ACCOMMODATIONS	
Caravan—Short Wheelbase	
Seating Capacity, F/I/R	2/2/-
ront	
Head room	39.6 (1005
Leg room	40.8 (1032
Shoulder room	62.8 (1598
	57.2 (1453
Seat travel	8.6 (220
	55.9 cu. ft. (1.65 cu. m
ntermediate	
Head room	39.2 (994.7
Leg room	36.6 (930.7
	1.6 (40.4
Shoulder room	64.7 (1644
Hip room	67.8 (1722
Intermediate volume index	53.7 cu. ft. (1.52 cu. m
Rear	
Head room	37.3 (948
	34.5 (875.8
Knee clearance	9 (24.
	61.9 (1574
	49.0 (1246
	43.2 cu. ft. (1.19 cu. m

<sup>(</sup>a) All dimensions measured at curb weight.

ACCOMMODATIONS (CONTI	NUED)
Cargo Volume Indexes	
Aft of int. seat	44.2 cu. ft. (1.25 cu. m)
	15.1 cu. ft. (0.43 cu. m)
	142.3 cu. ft. (4.03 cu. m)
Grand Caravan—Long Wheelba	, ,
	2/2/3
Front	, , ,
Head room	39.6 (1005)
	40.6 (1032)
·	62.8 (1598)
	57.2 (1452)
	8.6 (220)
	58.2 cu. ft. (1.65 cu. m)
	38°
Intermediate	
	39.1 (994)
	34.7 (881.1)
	4.2 (106.7)
	64.7 (1644)
	67.6 (1717)
Rear	
	38.3 (973)
	31.9 (809)
	6.0 (151.3)
	62.1 (1577)
	49.0 (1244)
	41.0 cu. ft. (1.16 cu. m)
Cargo Volume Indexes	+1.0 od. 1t. (1.10 od. 11)
S	51.3 cu. ft. (1.45 cu. m)(a), 54.9 cu. ft. (1.55 cu. m)(b)
Aft of me. seat	17.6 cu. ft. (0.50 cu. m)(a), 26.4 cu. ft. (0.75 cu. m)(b)
	17.0 cd. 11. (0.30 cd. m)(d), 26.4 cd. 11. (0.70 cd. m)(d)  167.9 cu. ft. (4.75 cu. m) (a)
	loor) 160.7 cu. ft. (4.55 cu. m) (b)
Seats stowed (loid-iii-tile-ii	001)100.7 Gu. 1t. (4.33 Gu. 111)(b)
BODY	
	Transverse front engine, front-wheel drive
Construction	_Unitized steel with hinged front doors; sliding left and right side doors—power available;
	liftgate with temperature-compensated gas props—power available
SUSPENSION	
Front	ISO struts with integral gas-charged shock absorbers, coil springs,
110111	asymmetrical lower control arms, link-type stabilizer bar, urethane jounce bumpers,
	rubber-isolated cast-aluminum crossmember—std.
Poor	
Rear	
	track bar and gas-charged shock absorbers—std.;
	Revised spring rates and load-leveling shock absorbers—opt. SE, SXT and ES;
(a) SE	stiffer springs, higher control shock—Trailer Towing Group only
• •	
(b) SXT, SE Plus	continued

2 2

STEERING	
Туре	Rack and pinion, power-assisted
Overall Ratio	17.8:1
Turning Diameter (curb-to-curb)	37.6 ft. (11.5 m)—Caravan; 39.4 ft. (12.0 m)—Grand Caravan
Steering Turns (lock-to-lock)	
TIRES	
Standard—Cargo Van and Grand Cargo Van	
<u> </u>	215/65R16 low black-letter all-season
	Bridgestone Turanza EL42+
Revs per mile (km)	
Opt.—Caravan SE, Caravan SXT and Grand Ca	
Size and type	215/65R16 low black-letter all-season
	Bridgestone Turanza EL42
	778 (483)
Standard—SE Plus and SXT	215 / 70 D15 block sidewall all access
	215/70R15 black sidewall all-season
	Goodyear Integrity
Revs per mile (km)	780 (485)
WHEELS	
Standard–Caravan SE, Grand Caravan SE, an	d SE Plus
Type and material	Stamped-steel
Size	15 x 6.5
Standard—Caravan Cargo Van and Grand Car	avan Cargo Van
Type and material	Stamped-steel
Size	16 x 6.5
Standard—Caravan SXT, Grand Caravan SXT	
Type and material	Cast-aluminum
Size	16 x 6.5
BRAKES	
Standard–Caravan SE	
Front	
	.1 x 1.10 (281 x 28) vented disc with 2.60 (66) single-piston sliding caliper
	228.5 sq. in. (1474 sq. cm)
Rear	220.3 \$q. III. (1474 \$q. CIII)
	9.8 x 2.2 (250 x 55) dual-action drum
	9.8 x 2.2 (250 x 55) dual-action druin 134 sq. in. (864 sq. cm)
-	
Power Assist TypeStandard Careyon SE Ontional Care	10.62 (270) single-diaphragm vacuum
Standard—Grand Caravan SE, Optional—Cara	vali SE
Front	(001 · 00)
	(281 x 28) vented disc with 2.60 (66) single-piston sliding caliper and ABS
Swept area	228.5 sq. in. (1474 sq. cm)
Rear	0.0 0.0 /050 - 55)
	9.8 x 2.2 (250 x 55) dual-action drum with ABS
Swept area	134 sq. in. (864 sq. cm)
rower Assist Type	10.62 (270) single-diaphragm vacuum

BRAKES (CONTINUED)	
Standard-Caravan and G	rand Caravan Cargo Vans, and Grand Caravan SE Plus and SXT
Front	
Size and type	11.1 x 1.10 (281 x 28) vented disc with 2.60 (66) single-piston sliding caliper and ABS
Swept area	228.5 sq. in. (1474 sq. cm)
Rear	
Size and type	11.4 x 0.5 (290 x 12.5) solid disc with 1.65 (42) single-piston sliding caliper and ABS
Swept area	190.5 sq. in. (1229 sq. cm)
Power Assist Type	10.62 (270) single-diaphragm vacuum

EXTERIOR	SE	SXT	Cargo Van
Air dam front	S	S	S
Badges	· ·	Ū	ū
"Dodge," bright on lower left of liftgate; Ram's head medallion, center-mounted on front			
fascia; "Caravan" on liftgate	S	S	S
"C/V" on lower right of liftgate	_	_	S
"SXT" on lower right of liftgate	_	S	_
Colors		_	
Bright Silver Metallic, Inferno Red Tinted Pearl Coat, Midnight Blue Pearl Coat,			
Stone White	0	0	0
Butane Blue Pearl Coat, Brilliant Black Crystal Pearl Coat, Linen Gold Metallic,			
Magnesium Pearl Coat	0	0	_
Door handles, front and side	-	_	
Black	S	_	S
Body color	_	_	_
Doors			
Driver and passenger side sliding doors (no glass)	_	_	S
Driver and passenger side sliding doors (no glass on driver side, fixed glass on			Ü
passenger side)	_	_	0
Driver and passenger side sliding doors with fixed glass	S	S	P
Passenger side power sliding		Ö	· -
Fascias, front and rear		Ü	
Molded-in color	S	_	S
Body color		S	_
Glass		Ü	
Tinted	S	_	_
Sunscreen		S	S
Headlamps—Halogen		S	S
Headlamp off delay	_	S	P
License plate brow	•	Ü	·
Black	S	_	S
Body color		S	_
Mirrors		Ū	
Dual, folding	S	_	S
Dual folding, power, heated		S	P
Molding, bodyside (accent color)		S	S
Spat (black)	S	S	S
Roof rack, Black	0	O/P	0
Scuff pad—Rear fascia		S	_
Wipers—Windshield, variable intermittent; liftgate window, intermittent		S	S
INTERIOR			
Bezel, instrument panel-Black	S	_	S
Graphite pattern	_	S	_
Cargo net—Located between front bucket seats	S	S	S
and the first property of the	J	J	J

Legend: S = Standard O = Optional P = Available within package or group noted in parentheses O/P = Item is a free-standing option and also in a package or group <math>-= Not Available

	SE	SXT	Cargo Van
INTERIOR (CONTINUED)			
Climate controls			
Air conditioning, front	S	_	S
Air conditioning, dual-zone manual temperature control		S	_
Console			
Instrument panel lower open bin with coin holder	S	S	S
Center between front seats, removable; includes underseat non-locking storage		0	_
Overhead with trip computer, reading lamps, compass/temperature display, HomeLink®			
garage door opener, storage bin		Р	_
Defroster–Electric rear window	0	S	S
Door locks-Power	_ P	S	Р
Floor covering			
Carpets, passenger and cargo area, 12 ounce	_ S	S	_
Floor mats—Front, intermediate and rear	_ S	S	_
Rubber floor covering		_	S
Grocery bag hooks—Rear seatback	S	S	_
Illuminated entry		S	Р
Instrument cluster (white face)	S	S	S
Tachometer		S	_
Lamps			
Front courtesy	_ S	S	S
Rear dome		S	S
Liftgate flood		S	S
Overhead ashtray/cup holder		Р	_
Mirror, day/night rearview		S	S
Auto-dimming rearview		Р	_
Pedals-Power adjustable	0	0	_
Power outlets, front and rear, 12-volt	S	S	S
Seating, front			
High-back cloth bucket	S	S	_
Low-back cloth bucket	_ 0	Р	S
Power eight-way driver seat		Р	_
Seating, intermediate and rear			
Deluxe intermediate and rear bench	_ S	_	_
Intermediate buckets and rear bench		S	_
Intermediate buckets and rear split bench		Р	_
Intermediate buckets and rear split bench with one integrated child seat		0	_
Deluxe intermediate bench and rear bench with two integrated child seats	_ 0	_	_
Easy Out® roller seats	_ S	S	_
Sound/Entertainment systems			
AM/FM stereo radio with CD player	_ S	_	S
AM/FM stereo radio with cassette and CD player	_ 0	S	_
AM/FM stereo radio with six-disc in-dash CD changer		0	_
Rear seat video system	_ P	Р	_
UConnect™ hands free communication with Bluetooth™ technology		Р	_

	SE	SXT	Cargo Van
INTERIOR (CONTINUED)			
Speakers Two			S
_	 S	_	3
FourSix (included with cassette/CD player radio)		S	_
Speed control—Electronic with steering wheel-mounted controls		S	– P
Steering column–Tilt		S	P
		S	S
Steering wheel-LuxuryStorage	_ 3	3	3
Drawer–Under front passenger seat, lockable	S	S	S
Open bin, lower center stack		S	S
Sun visors, cloth with vanity mirrors		S	S
Illuminated vanity mirrors		P	_
Windows	_	'	_
Power front	Р	_	Р
Power front and rear quarter vents		S	_
·	_		
POWERTRAIN AND CHASSIS  2.4 liter DONG 16 valve I.4 engine and four appeal automatic transcale.	S	_	
2.4-liter, DOHC, 16-valve I-4 engine and four-speed automatic transaxle		S	S
Brakes		3	3
	S	S	
Power front disc/rear drumPower four-wheel disc		- -	S
		0	S
Four-wheel anti-lock		0	0
Engine block heaterFront-wheel drive	_ 0 S	S	S
Steering—Power rack-and-pinion	_	S	S
Suspension	_	3	3
Commercial wagon		_	S
9		S	3
Normal duty Tires	_ 3	3	_
Compact spare	S	S	_
Full-size spare	_	_	S
215/70R15 BSW All-Season	 	_	-
215/65R16 LBL All-Season	_	S	S
Wheels/Wheel covers	_	J	J
15-inch steel wheels with wheel covers	S	_	_
16-inch steel wheels with wheel covers		_	S
16-inch aluminum wheels		S	_
		O	
SAFETY AND SECURITY			
Air bags	0	0	0
Next-generation multi-stage front (driver and front passenger)(a)		S	S
Driver side inflatable knee bolster		S	S
Supplemental side-curtain air bags for all seating rows(a)	_ 0	0	_

<sup>(</sup>a) Certified to federal regulations that allow less forceful air bags. Always use seat belts. Remember, the back seat is the safest place for children.

	SE	SXT	Cargo Van
SAFETY AND SECURITY (CONTINUED)			
Brake—Park Interlock (Cannot shift out of Park unless brake pedal is depressed)	S	S	S
Bumpers—Front and rear, 5-mph	S	S	S
Child seat anchor system—Second row LATCH (Lower Anchors and Tethers for CHildren)	S	S	_
Door locks-Power	Р	S	O/P
Headlamp off time delay	Р	S	Р
Horn-Electric, dual-note	S	S	S
Illuminated entry system (included with Remote Keyless Entry)	Р	S	Р
Remote keyless entry with Sentry Key® engine immobilizer	Р	S	Р
Seat belts(a)			
Front-Three-point belts with shoulder belt height adjusters, pretensioners and			
constant force retractors	S	S	S
Intermediate—Three-point belts with shoulder belt height adjusters	S	S	_
Rear-Three-point belts, outboard; lap belt, center	S	S	_
Sliding door alert warning (late availability)	S	S	S
EQUIPMENT GROUPS			
Deluxe Convenience Group-Includes speed control and tilt steering column	_	_	0
Entertainment Group #1-Includes single-disc DVD player, second-row overhead seven-inch			
video screen, six speakers (SE), video remote control	0	0	_
Power Convenience Group—Includes dual folding power heated mirrors, power front windows,			
power door locks	_	_	0
Popular Equipment Group—SE: Includes speed control, power front windows, power door			
locks and tilt steering column	0	_	_
Popular Equipment Group—SXT: Includes overhead console with trip computer, HomeLink® garage door opener, eight-way power driver seat, front low-back bucket seats, intermediate bucket seats, rear split bench seat, overhead ashtray/cup holder light,			
illuminated visor vanity mirrors, roof rack	_	0	_
Heavy Duty Electrical Group—Includes 160-amp alternator and 600-amp battery		_	0
Heavy Duty Engine Cooling—Includes engine oil cooler, heavy duty transmission oil cooler,			
heavy duty radiator, heavy duty condenser (SE)	0	0	_
Interior Delete Group—Deletes rear quarter trim, C&D pillar trim, and rear floor silencers		_	0
Remote Keyless Entry—Includes Sentry Key® engine immobilizer, headlamp off time delay,			Ü
illuminated entry	0	_	_
Security Group—Includes security alarm, remote keyless entry, Sentry Key® engine	O		
immobilizer, headlamp off time delay, illuminated entry			0
Window Group—Includes left and right sliding doors with fixed glass		_	0
UConnect™ Hands-Free Communication—includes auto-dimming rearview mirror;	_	_	U
replaces lower instrument panel storage bin with a faceplate trim cover		0	
replaces lower instrument paner storage bill with a laceptate tilli cover	_	U	_

(a) Always use seat belts.

	SE	SE Plus	SXT	Cargo Van
EXTERIOR				
Air dam, Front	S	S	S	S
Badges				
"Dodge," bright on lower left of liftgate; Ram's head medallion, center mounted on				
front fascia; "Grand Caravan" on liftgate	S	S	S	S
"C/V" on lower right of liftgate	. –	_	-	S
"SXT" on lower right of liftgate	. –	_	S	_
Colors				
Bright Silver Metallic, Inferno Red Tinted Pearl Coat, Midnight Blue Pearl Coat,				
Stone White	0	0	0	0
Butane Blue Pearl Coat, Brilliant Black Pearl Coat, Linen Gold Metallic, Magnesium				
Pearl Coat	0	0	0	_
Door handles, Front and side				
Black	S	_	_	S
Body color	. –	S	S	_
Doors				
Driver and passenger side sliding doors (no glass)	. –	_	_	S
Driver and passenger side sliding doors (no glass on driver side, fixed glass on				
passenger side)	_	_	_	0
Driver and passenger side sliding doors with fixed glass	S	S	S	Р
Passenger side power sliding		Р	S	_
Fascias, front and rear				
Body color	S	S	S	S
Fog lamps		_	S	_
Glass				
Tinted	S	_	_	_
Sunscreen		S	S	_
Headlamps				
Halogen	S	S	S	S
Headlamp off delay		S	S	_
License plate brow				
Black	S	_	_	S
Body color		S	S	_
Liftgate-Power	_	_	0/P	_
Mirrors				
Dual, folding	S	_	_	S
Dual folding, power, heated	. Р	S	S	Р
Molding, bodyside				
Accent color	S	_	_	S
Body color	. –	S	S	_
Spat (accent color)	S	S	S	S
Roof rack, Black	0	O/P	S	0
Scuff pad-Rear fascia		S	S	S
Sun roof–Power	_	_	0	_
Wipers—Windshield, variable intermittent; liftgate window, intermittent	S	S	S	S

Legend: S = Standard O = Optional P = Available within package or group noted in parentheses <math>O/P = Item is a free-standing option and also in a package or group -= Not Available

Assist handles—Passenger		SE	SE Plus	SXT	Cargo Van
Bezel, instrument panel—Black	INTERIOR				
Bezel, instrument panel—Black			S	S	
Cargo Net(s)		S	S	_	S
Cargo Net(s)		_	_	S	_
One front, two rear         S         −         S           Climate controls         Air conditioning, front		•			
Climate controls		S	_	_	S
Climate controls Air conditioning, front		_	S	S	_
Air conditioning, front Air conditioning, three-zone manual temperature control, rear air conditioning with heater Air conditioning, three-zone automatic temperature control, rear air conditioning with heater Console Instrument panel lower open bin with coin holder SCHER CONSOLE SC		•	-	-	
Air conditioning, three-zone manual temperature control, rear air conditioning with heater Air conditioning, three-zone automatic temperature control, rear air conditioning with heater Console Instrument panel lower open bin with coin holder Center between front seats, removable; includes underseat non-locking storage Overhead with trip computer, reading lamps, compass/temperature display, HomeLink® garage door opener, storage bin Defroster-Electric rear window SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS		S	S	_	S
heater Air conditioning, three-zone automatic temperature control, rear air conditioning with heater					
Air conditioning, three-zone automatic temperature control, rear air conditioning with heater	- · · · · · · · · · · · · · · · · · · ·	Р	Р	S	_
heater			•	Ū	
Console Instrument panel lower open bin with coin holder Center between front seats, removable; includes underseat non-locking storage	· · · · · · · · · · · · · · · · · · ·	_	_	Р	_
Instrument panel lower open bin with coin holder Center between front seats, removable; includes underseat non-locking storage				·	
Center between front seats, removable; includes underseat non-locking storage		S	S	S	S
Overhead with trip computer, reading lamps, compass/temperature display, HomeLink® garage door opener, storage bin					_
HomeLink® garage door opener, storage bin				0/1	
Defroster-Electric rear window         S         S         S         P         S         P         P         S         S         P         P         S         S         P         P         S         S         P         P         S         S         P         P         S         S         P         P         S <td< td=""><td></td><td>_</td><td>P</td><td>ς</td><td>_</td></td<>		_	P	ς	_
Door locks—Power			-		9
Floor covering   Carpets, passenger and cargo area, 12 ounce	Door looks—Power	. D	-		
Carpets, passenger and cargo area, 12 ounce         S         S         S           Floor mats, front, intermediate and rear         S         S         S           Rubber front floor covering         -         -         -         S           Grocery bag hooks—Rear seatback         S         S         S         -           Illuminated entry         P         S         S         P           Instrument cluster (white face)         S         S         S         -           Tachometer         P         P         S         -           Insulation         Deluxe Insulation Group         P         S         S         -           Hood         P         P         S         S         -           Lamps         Front courtesy/map         S         S         -         S           Map/dome reading         -         -         S         S         S         S           Rear dome         S         S         S         S         S         S         S         S           Liftgate flood         S         S         S         S         S         S         S         S         S         S         S         S		. '	3	J	'
Floor mats, front, intermediate and rear	•	c	c	c	
Rubber front floor covering         -         -         -         S         S         S         -         Illuminated entry	Calpets, passenger and cargo area, 12 ounce				_
Grocery bag hooks-Rear seatback         S         S         S         P           Illuminated entry         P         S         S         P           Instrument cluster (white face)         S         S         S         -           Tachometer         P         P         S         -           Insulation         P         S         S         -           Deluxe Insulation Group         P         S         S         -           Hood         P         S         S         -           Lamps         S         S         S         -         S           Front courtesy/map         S         S         S         S         S         S           Map/dome reading         -         -         S			-		- 0
Illuminated entry	Creeky has beeks. Deer coethook	. –			
Instrument cluster (white face)         S         S         S         S         S         S         C         Tachometer			-		_
Tachometer         P         P         S         —           Insulation         Insulation         P         S         S         —           Hood         P         S         S         —           Lamps         Front courtesy/map         S         S         —         S           Map/dome reading         —         —         S         —         S           Rear dome         S         S         —         S	,		-		г
Insulation			-		_
Deluxe Insulation Group         P         S         S         -         Hood         P         S         S         -         C         Lamps         S         S         -         S         S         -         S         S         -         S         S         -         S         S         -         S         S         -         S         S         -         S <td< td=""><td></td><td>. Р</td><td>Р</td><td>3</td><td>_</td></td<>		. Р	Р	3	_
Hood         P         S         S         —           Lamps         Front courtesy/map         S         S         —         S           Map/dome reading         —         —         S         —         S           Rear dome         S         S         —         S		D	c	c	
Lamps       S       S       -       S         Map/dome reading       -       -       S       -       S         Rear dome       S       S       S       -       S         Liftgate flood       S       <			-		_
Front courtesy/map         S         S         -         S           Map/dome reading         -         -         S         -         S           Rear dome         S		. Р	5	3	_
Map/dome reading       -       -       S       -       S         Rear dome       S	· ·	c	C		C
Rear dome		. 3			3
Liftgate flood       S       S       S         Rear courtesy/reading       -       -       S       -         Overhead ashtray/cup holder       -       P       S       -         Mirror-Rearview       -       S       S       S       S         Day/night       S       S       S       S       S         Auto-dimming       P       P       P       P         Pedals-Power adjustable       O       O       O/P       -         Power outlets       Front and rear, 12-volt       S       S       S       S		. –			_
Rear courtesy/reading       -       -       S       -         Overhead ashtray/cup holder       -       -       P       S       -         Mirror-Rearview       -       -       S					
Overhead ashtray/cup holder         –         P         S         –           Mirror-Rearview         Bay/night         S <td< td=""><td></td><td></td><td>-</td><td></td><td>5</td></td<>			-		5
Mirror-Rearview       S					_
Day/night		. –	Р	S	_
Auto-dimming PPP PPP PP				_	
Pedals—Power adjustable         0         0 /P —           Power outlets         S         S         S           Front and rear, 12-volt         S         S         S					S
Power outlets Front and rear, 12-volt S S S S	<del></del>		-	•	_
Front and rear, 12-volt S S S	,	. 0	0	0/P	_
			_	_	
Auxiliary 12-volt S -					S
	Auxiliary 12-volt	. –	_	S	_

	SE	SE Plus	SXT	Cargo Van
INTERIOR (CONTINUED)	SE	rius	3/1	Vali
Seating, front				
<b>O</b> <sup>2</sup>	S			
High-back cloth bucketLow-back cloth bucket	- 0	S	S	S
		P	S	3
Power eight-way driver seat		_ _	о Р	_
Seating, intermediate and rear		_	Г	_
Deluxe intermediate and rear bench	S			
2nd row buckets with rear 60/40 split bench		S	S	_
2nd row buckets with rear 50/50 split bench	_	- -	-	_
Deluxe intermediate bench and rear bench with two integrated child seats		_	_	_
		_	_	_
Easy Out® Roller Seats		S	S	_
Stow in Go second- and third-row seats		3	3	_
Sound/Entertainment/Navigation systems  AM/FM stereo radio with CD player	c	S	_	c
		S P		S
AM/FM stereo radio with cassette, CD player		•	S	_
AM/FM stereo radio with six-disc in-dash CD/DVD changer		_	0	_
AM/FM stereo radio with CD player and GPS Navigation		_	0	_
UConnect™ hands free communication with Bluetooth technology		0	0	_
Speakers				•
Two		_	_	S
Four	_	S	_	_
Six		Р	S	_
Infinity® Acoustic 8™-speaker system		_	Р	_
Speed control–Electronic with steering wheel-mounted controls		S	S	Р
Steering column–Tilt	_	S	S	Р
Steering wheel				
Leather-wrapped		_	S	_
Luxury	_ S	S	-	S
Storage				
Drawer–Under front passenger seat, lockable		S	S	S
Open bin, lower center stack	_ S	S	S	S
Underfloor storage bins available when the second-row Stow 'N Go™ seats are in the				
upright position		S	S	_
Sun visors				
Driver and passenger vanity mirrors		_	-	S
Illuminated vanity mirrors	_ P	S	S	_
Windows				
Power front	_ P	S	S	Р
Power front and rear quarter vents	-	S	S	-
POWERTRAIN AND CHASSIS				
3.3-liter V-6 engine and four-speed automatic transaxle	S	S	_	S
3.8-liter V-6 engine and four-speed automatic transaxle		_	S	_
<del>-</del>				

	SE	SE Plus	SXT	Cargo Van
POWERTRAIN AND CHASSIS (CONTINUED)	SE	Plus	271	van
Brakes				
Power front disc/rear drum	S	_	_	_
Power four-wheel disc (included in Trailer Tow Prep Group)		S	S	S
Four-wheel anti-lock		S	S	S
Engine block heater	0	0	0	0
Steering—Power rack and pinion	S	S	S	S
Suspension				
Commercial wagon	_	_	_	S
Normal duty	S	S	S	_
Touring		_	Р	_
Load-leveling and height control (included with Trailer Tow Prep Group)	Р	Р	Р	_
Tires				
Compact spare	S	S	S	_
Full-size spare	_	_	S	S
215/70R15 BSW All-Season		S	_	_
215/65R16 LBL All-Season		_	S	S
Traction control-Low-speed		_	S	_
Wheels/Wheel covers				
15-inch steel wheels with wheel covers	S	S	_	_
16-inch steel wheels with wheel covers		_	_	S
16-inch aluminum wheels	-	-	S	_
SAFETY AND SECURITY				
Air bags				
Next-generation multi-stage front (driver and passenger)(a)	S	S	_	S
Advanced multi-stage front (driver and passenger)(b) with occupant				
classification system	_	S	S	_
Driver-side inflatable knee blocker	S	S	S	S
Supplemental side-curtain air bags for all seating rows(a)(c)				
(not available with power sun roof)	0	0	0	_
Brake-park interlock	S	S	S	S
Bumpers—Front and rear, 5-mph	S	S	S	S
Child seat anchor system—LATCH (Lower Anchors and Tethers for CHildren)		S	S	_
Door locks-Power	Р	S	S	O/P
Headlamp off time delay	Р	S	S	Р
Horn-Electric, dual-note	S	S	S	S
Illuminated entry system	Р	S	S	Р
Remote keyless entry with Sentry Key® engine immobilizer	Р	S	S	Р

<sup>(</sup>a) Always use seat belts. Remember, the back seat is the safest place for children 12 and under.

<sup>(</sup>b) Certified to the federal regulation for automotive passenger occupant classification. Children 12 and under should always be in the backseat correctly using an infant or child restraint system, or seat beat positioned correctly for the child's size and age.

<sup>(</sup>c) Always sit properly in the seat with the seat belt fastened. Always observe the passenger air bag indicator lamp to determine if the OCS classification is appropriate. Children 12 and under should always be in a back seat correctly using an infant or child restraint system or the seat belt positioned correctly for the child's age and weight.

	SE	SE Plus	SXT	Cargo Van
SAFETY AND SECURITY (CONTINUED)				
Seat belts(a)				
Front-Three-point belts with shoulder belt height adjusters, pretensioners				
and constant force retractors	S	S	S	S
Intermediate—Three-point belts with shoulder belt height adjusters	S	S	S	_
Rear-Three-point belts, outboard; lap belt, center	S	S	S	_
Sliding door alert warning	S	S	S	S
Tire pressure monitoring system	_	_	0	_
Traction control—Low-speed	_	_	0	_
EQUIPMENT GROUPS				
Deluxe Convenience Group-Includes speed control and tilt steering column	_	_	_	0
Entertainment Group #1-Includes single-disc DVD player, second-row overhead				
seven-inch video screen, six speakers, video remote control	0	_	_	_
Power Convenience Group-Includes dual folding power heated mirrors, power front				
windows, power door locks	_	_	_	0
Popular Equipment Group I—Includes three-zone manual temperature control, rear				
air conditioning with heater, 160-amp alternator, sunscreen glass, dual folding				
power heated mirrors, tachometer, deluxe insulation group, hood insulation,				
power door locks, illuminated visor vanity mirrors, power windows	0	_	_	_
Popular Equipment Group II—Includes three-zone manual temperature control, rear air				
conditioning with heater, 160-amp alternator, overhead console with trip computer,				
HomeLink® garage door opener, tachometer, overhead ash tray/cup holder light,		_		
AM/FM stereo radio with cassette and CD player, six speakers, roof rack	_	0	_	_
Heavy Duty Electrical Group—Includes 160-amp alternator and 600-amp battery	_	_	_	0
Heavy Duty Engine Cooling-Includes engine oil cooler, heavy duty transmission oil cooler,			_	
heavy duty radiator	_	_	0	_
Interior Delete Group—Deletes rear quarter trim, C&D pillar trim and rear floor silencers	_	_	_	0
Remote Keyless Entry–Includes Sentry Key® engine immobilizer, headlamp off time delay,	0			
illuminated entry	0	_	_	_
Leather Interior Group—Includes leather trimmed bucket seats, four-way power front				
passenger seat, heated front seats, manual driver lumbar adjustment, three-zone automatic temperature control, air filtering, removable front center console,				
Electronic Vehicle Information Center, power liftgate, Infinity® speaker system			0	
Premium Group—Includes three-zone automatic temperature control, air filtering, overhead	_	_	U	_
rail system with storage bins (delete credit when power sun roof is ordered), power				
adjustable pedals, electronic vehicle information center, power liftgate, rear park				
assist, security alarm, touring suspension	_	_	0	_
Rear Seat Video System—Includes second-row overhead seven-inch video screen, wireless			U	
infrared headphones, video remote control, overhead rail system with storage bins				
(when power sun roof is ordered)	_	_	0	_
Security Group—Includes security alarm, remote keyless entry Sentry Key® engine			0	
immobilizer, headlamp off time delay, illuminated entry	_	_	_	0
, <del>,</del>				-

(a) Certified to the federal regulation for automotive passenger occupant classification. Children 12 and under should always be in the backseat correctly using an infant or child restraint system, or seat beat positioned correctly for the child's size and age.

#### EQUIPMENT GROUPS(CONTINUED)

	SE	SE Plus	SXT	Cargo Van
Trailer Tow Prep Group-Includes 160-amp alternator, 600-amp battery, engine oil cooler,				
heavy duty transmission oil cooler, heavy-duty engine cooling, load leveling and				
height control, heavy duty radiator, wiring harness	_	0	0	_
Window Group-Includes left and right sliding doors with fixed glass	_		_	0
UConnect <sup>™</sup> hands free communication—Includes auto-dimming rearview mirror;				
replaces lower instrument panel storage bin with a faceplate trim cover	_	0	0	_
Factory-installed SIRIUS® Satellite Radio	0	0	0	_